

logo not found or type unknown

Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

PRO-JECT T1 Phono SB Walnut OM5e Gramofon

Šifra: 13609
Kategorija proizvoda: Gramofoni
Proizvođač: Pro-Ject

Cena: 53.880,00 rsd

PRO-JECT T1 Phono SB Walnut OM5e Gramofon

The T1 record player boasts premium materials, stylish aesthetics, a rich, lively sound and an accessible price. It can also be accommodated into almost any environment thanks to its multiple finish options and three output versions.

The T1 is based around a stylish CNC-machined plinth featuring no plastic parts and carefully manufactured to ensure there are no hollow spaces

inside, avoiding unwanted vibrations within the finished product. Mounted inside the plinth is a precision belt drive system, attached to a newly designed sub-platter, which itself is engineered to the finest tolerances for stable mounting into the stainless-steel axle/brass-bushing main bearing – the same bearing featured on the multi-award winning Essential III turntable. The sub-platter drives the new heavy, zero-resonance glass platter with absolute stability, ensuring an ideal playback surface for vinyl records.

The tonearm on the T1 is a new 8.6" model featuring a larger one-piece aluminium tube and an improved gimble bearing assembly with low-friction components for absolute accuracy in use. Mounted with an Ortofon OM 5E cartridge with elliptical diamond stylus for great sound, the tonearm is also pre-set for downforce and anti-skate settings, so there's no need for any complicated set-up; you can get playing straight out of the box!

T1 Phono SB

T1 Phono SB

Built-in phono stage

Push-button speed change

Detachable RCA leads

Phono or Line level output

Premium plug-and-play turntable

Luxury design elements throughout for true hi-fi sound

Anti-resonant sub-platter design

Heavy 8mm, zero-resonance blasted glass platter

CNC machined plinth in three stylish finishes

No plastic parts where there shouldn't be

Ortofon OM 5E cartridge with elliptical diamond stylus pre-installed

True hi-fi tonearm pre-set for downforce and anti-skate

Supplied with semi-symmetrical, low-capacitance Connect-IT E RCA phono cables

Supplied with detachable dust cover with adjustable hinges

Made in Europe

Speed:	33 / 45 RPM speed change
Principle:	Belt drive
Speed Variance:	33: 0.70% 45: 0.60%
Wow & Flutter:	33: 0.25% 45: 0.23%
Platter:	Heavy 8mm, blasted-glass platter with felt mat
Main Bearing:	Stainless steel/brass
Signal to noise:	65dB
Tonearm:	8.6" aluminium
Effective arm length:	218.5 mm
Overhang:	18.0 mm
Effective Tonearm Mass:	8.0g
Counterweight for mass:	5 - 10g (pre-mounted)
Tracking Force Range:	0 - 50mN (pre-set to 17.5mN for OM 5E)

Output:	T1 Phono SB: Switchable phono/line level, RCA leads
Included Accessories:	Dustcover, feltmat
Power Supply:	T1 Phono SB: Detacahable power supply
Power Consumption:	3W Max
Dimensions (W x H x D):	415 x 100 x 335 mm
Weight:	3.8kg (net)