© Goe not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

SVS SB-4000 Black Ash Aktivni vufer

Šifra: 13754

Kategorija prozivoda: Hi-Fi Subwooferi

Proizvođač: SVS

Cena: 239.880.00 rsd

SUS-SB: 4000 Black Ash Aktivni vufer

SVS

SB4000 Subwoofer is a top choice for home theatre and audiophile music systems, the SB4000 Subwoofer delivers massive SPLs and extreme low frequency extension that will astonish even the most discerning listeners. A high-excursion 13.5-inch driver unleashes immense sonic energy while maintaining pinpoint control and accuracy from a 1,200 watts RMS, 4,000+ watts peak power amplifier featuring fully discrete MOSFET output and

Analogue Devices most advanced audio DSP. Precise tuning for the SB-4000 is enabled from a subwoofer DSP smartphone app with custom presets.

The SB4000 subwoofer delivers on the full potential of the Sledge STA-1200D amplifier's power with precision and control to produce room energising SPLs and effortless low frequency extension with pinpoint accuracy at all drive levels. Dual ferrite magnet motor assembly weighing nearly 40lbs generates immense magnetic force and excursion of the 13.5-inch driver to produce massive low frequency output well below the limits of human hearing. Edge wound voice coil with eight-layer aluminium flat wire minimises distortion and power compression while providing excellent heat dissipation and linearity ensuring precise control. Lightweight and rigid composite cone with premium glass fibre dust cap generate massive output with pinpoint accurate frequency response. Proprietary injection molded gasket and long-throw parabolic surround ensure longevity and allow extreme excursion and SPLs.

Chest-thumping slam and low frequency extension below the threshold of human hearing, with refined musicality – a level of subwoofer performance not seen at this price before. The SB4000 Subwoofer's sophisticated DSP amplifier, innovative driver and a sealed box design master room gain and command a space with deeper bass and higher output levels than what is typically possible from a subwoofer of its size. The SB4000 sets all performance benchmarks for a subwoofer and leaves larger and more expensive subs trembling in its wake.

Unparalleled Performance

Unparalleled Performance

Low Frequency Depth,
Power and Detail, the SVS
SB4000 powered
subwoofer demolishes all
preconceived notions
about subwoofer
performance and
technology by taking
command of any room
with deep, effortless bass
and adding visceral energy

to every listening experience. With trickle down technology from the 16-Ultra Series, named top subwoofers in the world by nearly every audio publication and industry group in 2017, the SB4000 obliterates expectations and delivers a level of unrivaled subwoofer performance only available from SVS.

Sledge: Amplifier, pe unknown

Sledge Amplifier

Massive Output, Sophisticated DSP, Advanced Power Management rated conservatively at 1,200 watts RMS, and 4,000+ watts peak power, the SB-4000 Sledge STA-1200D amplifier uses an efficient Class D design combined with fully discrete MOSFET output and a sophisticated **Analog Devices DSP** engine. The result is a level of effortless power and advanced processing not available from any other powered subwoofer manufacturer.

Smartphone Appe unknown

Smartphone App

Groundbreaking smartphone app works with Apple iOS® and Android® devices to unleash the full depth, force and nuance of the SB4000 powered subwoofer by controlling all DSP functions including: volume, parametric EQ, low pass filter, phase, polarity, room gain, port tuning, custom presets and system settings.

SVS SB4000 Subwoofer Specification

Colour Finish	Premium Black Ash
Grille	Protective non-reso
Driver	Front-firing 13.5" d
Amplifier	Rear-mounted amp
Cabinet Construction	Robust Medium De
Cabinet Dimensions H-W-D	Without Grille 465r With Grille 465mm
Shipped Dimensions	(598mm) x (598mr
Weight Unboxed	46.6kg
Shipped Weight	53.45kg
Included Accessories	Protective Non-Res High Current 6" Po