

Marantz NR1200 Slimline Silver-Gold Stereo AV risiver

Šifra: 13669

Kategorija proizvoda: AV Pojačala i Risiveri

Proizvođač: Marantz

Cena: 107.880,00 rsd

Marantz NR1200 Slimline Silver-Gold Stereo AV risiver

kanalni A/V Network risiver koji isporučuje 75W snage po kanalu na 8 Ω i raspolaže ugrađenim Bluetooth-om, AirPlay 2, i podržanim HEOS-om, za bežični striming muzike iz kompatibilnih izvora kao što su smartfoni ili tableti. *Onboard* Wi-Fi & Ethernet konektivnost omogućava pristup **NR1200** velikom broju izvora muzike sa interneta. Kao bonus, tu je i Marantz AVR Remote aplikacija na Google Play odnosno Apple App Store-u, za kontrolisanje funkcija risivera sa vaših Android ili iOS uređaja. Risiver možete kontrolisati i glasovnim komandama uz

uređaje koji podržavaju Amazon Alexa ili Google Assistant aplikacije.

Sa 5 HDMI ulaza i jednim izlazom, risiver može da funkcioniše i kao video switcher za vaše HD komponente (izvore). HDR, 4K UHD i 3D signali za jednostavnu integraciju u vaš kućni bioskop. Uređaj poseduje i USB port, za pristup medijima na vašim USB fleš memorijama.

HDMI konektivnost sa podržanim HDR i HDCP 2.3 - 4K Ultra HD 60 Hz video kvalitetom, 4:4:4 Pure Color *sub-sampling*-om, HLG i HDR10, 21:9 videom, 3D, i BT.2020 *pass-through*-om na svakom ulazu. Pomenuta HDCP 2.3 kompatibilnost za UHD zaštićene sadržaje na svim HDMI inputima, omogućena usaglašenost sa Blu-ray plejerima i UHD striming uređajima/servisima. ARC (Audio Return Channel) podržava transmisiju zvuka sa vašeg TV-a pomoću običnog HDMI kabla, uprošćavajući čitav proces.

Dual DAC - **NR1200** ima dva DAC-a po kanalu, za pojačan dinamički opseg kao i poboljšan odnos signala i šuma za čistiji zvuk, čak i iz izvora sa niskom rezolucijom (signala).

Left/Right Power Amplifier Design - The amplifier circuit design of the NR1200 features separate, symmetrical left and right power amplifiers with a central power supply distribution to help improve channel separation, reduce crosstalk, and preserve the musical soundstage.

A/B Speaker Selection - The NR1200 features A/B speaker selection, letting you configure it to drive two pairs of speakers in separate rooms, or to drive a single pair of bi-wired speakers.

Apple AirPlay 2 & Siri Voice Control - Stream audio from your favorite music services via your compatible Apple device, including your iPhone, iPad, Mac, or Apple TV. Hear the audio synced to your speakers via AirPlay 2. For multiroom audio, wirelessly stream content to multiple AirPlay 2-compatible devices simultaneously with enhanced audio buffering for smooth playback. AirPlay 2 provides control and grouping of compatible audio devices within the Apple Music or Home app. Use AirPlay 2 in-app or with your voice via Siri. Amazon Alexa Voice Control - Ask Alexa to play music from Pandora, Spotify, Amazon Music, and more. You can switch between inputs, adjust the volume, pause, mute, and play the next song, all with your voice. Google Assistant Voice Control - Ask the Google Assistant built into your compatible device to control content across your listening environment. Start music in the HEOS app, then ask your Google Assistant to control volume, playback, and more.

Hi-Res Audio Support - The NR1200 can decode hi-res audio from ALAC, FLAC, and WAV lossless files up to 24-bit / 192 kHz, as well as DSD 2.8 and 5.6 MHz tracks (the audiophile format of SACD) via the front-panel USB port or network sources.

Dedicated Phono Input - Connect your analog turntable to the receiver to enjoy your vinyl collection.

Auto Low Latency Mode (ALLM) for Xbox One - ALLM is designed to ensure a more responsive and immersive gaming experience when your Xbox One is connected to select TV models that also support ALLM.

Dual Subwoofer Outputs - The NR1200 supports two subwoofers to provide even, low-frequency bass response with no audible peaks or dips.

Marantz AVR Remote App - The Marantz AVR Remote for iOS and Android devices provides control of the receiver, allowing you to power it on or off, adjust volume, input, and settings, or switch to the HEOS app.

Smart TV Connectivity - Via the HDMI CEC (consumer electronics control) functionality on compatible smart TVs, you can control the NR1200 with the TV's remote handset. With the receiver's "HDMI control" set to ON, select "Smart Menu" receiver control functions and the TV's Smart Menu home screen will provide you direct access to source and surround mode selections, the main setup menu, and Smart Select configuration presets.

Amplifier specifications

Channels: 2.1

Power Output per Channel - 2-Channel Driven:

75 W at 8 Ohms / 20 Hz to 20 kHz / 0.08% THD, 100 W at 6 Ohms / 1 kHz / 0.7% THD

1-Channel Driven: 150 W at 6 Ohms / 1 kHz / 10% THD

Frequency Response: 10 Hz to 100 kHz +1/-3 dB (Direct Mode)

Speaker Impedance: 4 to 16 Ohms

Audio Processing

Auro 3D Support: No

Supported File Formats: 2.8 MHz DSD, 5.6 MHz DSD, AAC, Apple Lossless, FLAC, MP3, WAV, WMA via USB/Network

Video

HDR Compatibility: HDR10, Hybrid Log Gamma

Pass-Through Support: 4K60p 4:4:4 (3D, BT.2020)

Upscaling: None, GUI: Yes

Connectivity

Rear A/V Inputs: 5 x HDMI, 1 x Optical TOSLINK, 1 x Digital Coaxial, 3 x Stereo RCA

1 x Stereo RCA (Phono) with Ground Screw

Rear A/V Outputs: 1 x HDMI, 1 x Stereo RCA Zone 2 Pre-Out

1 x Stereo RCA Pre-Out, 2 x RCA Subwoofer Pre-Out

Front I/O: 1 x USB Type-A, 1 x 1/4" / 6.35 mm Headphone Output

Other Rear I/O: 2 x Bluetooth/Wi-Fi Antenna Terminal, 1 x RJ45 (Ethernet)

1 x FM Antenna Terminal Input, 1 x AM Antenna Terminal Input, 1 x 1/8" / 3.5 mm (IR) Input

Speaker Connectors: 4 x Binding Post Pairs, HDCP Support Version: 2.3

Audio Return Channel (ARC): Yes, HDMI CEC – Yes, Media Card Slot: None

A/B Speaker Selection: Yes, Bi-Amp Capability: No

Input Sensitivity Line: 130 mV, Phono: 2.5 mV

Signal to Noise Ratio - Line: 98 dB (Direct Mode / IHF-A), Phono: 74 dB (IHF-A)

Wireless Connectivity

Wi-Fi: Wi-Fi 4 (802.11n); Dual-Band (2.4 & 5 GHz)

Wireless Security: WEP 64, WEP 128, WPA, AES, TKIP

Bluetooth - 4.1, Bluetooth Profiles: A2DP 1.2, AVRCP 1.5

Supported Audio Codecs – SBC, Bluetooth Range: 98.4' / 30 m

Wireless Audio Protocols - AirPlay 2, HEOS

Control

External Control Support: Domotz Pro, Ihiji Invision

Virtual Assistant: Works with Alexa, Apple AirPlay, Works with Google Assistant

Tuner Section

Tuner Type: AM, FM, Number of Tuner Presets - 56 Stations

Radio Frequencies - AM: 520 to 1710 kHz, FM: 87.5 to 107.9 MHz

Sensitivity - AM Effective: 18 μ V. FM Effective: 1.2 μ V / 12.8 dBf, FM Mono at 50 dB: 2.8 μ V / 20.2 dBf

Signal to Noise Ratio - FM: 67 dB (Direct Mode / IHF-A / Stereo), 70 dB (Direct Mode / IHF-A / Mono)

Power: AC Input Power 120 VAC, 60 Hz

Power Consumption - Active: 210 W, Standby: 0.2 W, CEC Standby: 0.5 W

Physical

Dimensions (W x H x D) 17.3 x 6.9 x 14.9" / 44.0 x 17.5 x 37.8 cm

Weight 18.1 lb / 8.21 kg