

logo not found or type unknown

Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

SVS PB-12-NSD

Šifra: 13753
Kategorija proizvoda: Hi-Fi Subwooferi
Proizvođač: SVS

Cena: 83.880,00 rsd

SVS PB-12-NSD not found or type unknown

True
to

SVS design philosophy, the PB12-NSD obliterates performance expectations for the price with a driver, amplifier, motor and cabinet combination at an all new low price. Equally adaptable for music, home theater, TV and gaming, the PB12-NSD produces amazingly deep and articulate bass with pinpoint accuracy and speed in transients at all drive level.

Potent SVS 12-inch NSD High-Output Driver

Featuring high end materials and rock-solid design, the 12-inch SB12-NSD driver handles every watt of the Sledge amplifier's power and delivers deep, room-energizing bass and crushing SPLs with pristine clarity and control, even when pushed to the absolute limit.

Sledge STA-400D Amplifier

image not found or type unknown



Effortless power with smooth and precise signal processing for accuracy and clarity at all drive level, the PB12-NSD's STA-400D amplifier is conservatively rated at 400 watts RMS, 800 watts peak power and effortlessly delivers massive amounts of current to the motor and driver to create convincing cinematic and musical bass you can hear and feel at the most important moments. With digital bass management features and flexible set up options normally reserved for more expensive subwoofers, the Sledge amplifier makes it easy to optimize with any equipment in any room set-up

DSP for Fine-Tuning In-Room Performance

Internal Digital Signal Processing (DSP) allows for easy integration into rooms of all shapes and sizes as well as with all different models and brands of speakers.

Optimized Cabinet Design

The PB12-NSD features a front-firing 4" high-flow port with inner/outer port flares for extremely powerful and controlled output with palpable slam. The 21x17x22 cabinet is substantial but not over-sized and features a protective steel mesh grille and comes in a premium black ash wood grain finish for a handsome look that fits most room décor.

Frequency Response / Acoustic Data:

image not found or type unknown



18-150
Hz +/- 3
dB

2-meter ground plane away from
reflective structures (quasi-
anechoic)

Subwoofer Specs:

Cabinet Dimensions: 20.9" (H) x 17.3"
(W) x 22"(D)
Overall Dimensions: 21.4" (H) x 17.3"
(W) x 25.4" (D) (includes feet, grille,
amplifier)
Weight (unboxed): 66 pounds
Shipped Dimensions: 30" (H) x 23" (W)
x 27" (D)
Shipped Weight: 82 pounds
Rigid and braced Medium Density
Fiberboard (MDF) cabinet

Premium
finish
Front-f
Front-f
flow fla
Protect
resonan
mesh g
Power c
8 feet

Driver Specs:

SVS 12" NSD driver
2" diameter, high-power
voice coil with high-temp
former
Nomex linear roll long-
throw spider
Low-creep rubber long-
throw surround
Spider-integrated tinsel
leads
Aluminum cone and
composite dust cap with
SVS logo

Powder-coated cast aluminum
basket
Finite Element Analysis (FEA)-
optimized motor structure
Dual shorting rings and pole
extenders to reduce gap induction
and distortion
Vented pole piece for greater
cooling and low noise.
Dual high-grade ferrite magnets
Pole piece vent for greater cooling,
low noise, and reduced air
compression

Amplifier Specs:

STA-400D Sledge with 400 watts RMS
continuous power (800 watts peak
dynamic power)
High efficiency cool-running Class D
switching topology
Detachable power cord with main power
switch and fuse
RoHS compliant, lead-free construction
and world-wide safety certifications
Auto-On / On switch with "green" standby
mode

Stereo line-level RCA input/output
connections
Fully adjustable low pass filter with
Disable setting
Unfiltered (for daisy-chain) and
HPF line level RCA outputs
Customized EQ and DSP limiter
specifically for the PB12-NSD
Input impedance - 20 k Ω (unbalanced
RCA)

[PB12-NSD Subwoofer Owner's Manual](#)