

logo not found or type unknown

Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

SVS SB-12-NSD

Šifra: 13752
Kategorija proizvoda: Hi-Fi Subwooferi
Proizvođač: SVS

Cena: 65.880,00 rsd

performance at any price. The subwoofer easily integrates into any room and adds a powerful new dimension to all your entertainment. Feel sound like never before with dynamics that make your hair stand on end and effects that make you jump out of your seat. Best of all, you will never find this level of rock-solid SVS engineering and deep, articulate bass performance at such a low price, ever.

Forceful SVS 12" NSD High-Output Driver

With SVS, compact and affordable doesn't mean compromising on performance. The 12" driver in the SB12-NSD handles every watt of the Sledge amplifier's power and pumps out loads of deep, flawless and powerful bass with ultra-low distortion, even when pushed to the absolute limit.

Sledge Amplification: Foundation of Room Energizing Bass Performance

image not found or type unknown



True to the SVS philosophy, the SB12-NSD Sledge STA-400D amplifier has been rigorously engineered to enhance the listening experience by providing quick, smooth and precise signal processing at all drive levels. With digital bass management features and flexible set up options, the Sledge amp makes it easy to optimize for any equipment and to accommodate any room characteristics. Conservatively rated at 800 watts peak power, and 400 watts continuous power, the SB12-NSD effortlessly works with the driver to deliver intelligent, powerful bass performance.

Handsome New Styling, Versatile Placement Options, Easy Room Integration

The SB12-NSD is available in premium Black Ash finish for high end styling that complements its stunning performance. At just over 14" on all sides, the compact SB12-NSD is incredibly easy to integrate into any living space and can even be placed inside furniture for a totally discrete set-up. The sealed box cabinet is optimized for deep, room-energizing bass, lightning quick speed in transients and revealing musicality that will suit both audiophiles and home theater fans alike.

Frequency Response / Acoustic Data:

image not found or type unknown



SVS SB-12-NSD

From the

thunderous pounding as a helicopter descends from overhead, to the thumping bass line of your favorite songs; the compact SVS SB12-NSD subwoofer delivers the sonic slam and room energizing SPLs that bring your entertainment to life.

A combination of innovative driver design, effortless amplifier power, handsome styling and compact dimensions make the SB12-NSD a world class

23-270
Hz +/- 3
dB

2-meter ground plane away from
reflective structures (quasi-
anechoic)

Subwoofer Specs:

High quality charcoal black
vinyl, or polished piano gloss
finish
Front-firing 12" driver
Rigid Medium Density
Fiberboard (MDF) cabinet
Protective non-resonant steel
mesh grille
Detachable 8 foot power cord
Cabinet Dimensions: 14.2"
(H) x 14.2" (W) x 14.2"(D)

Overall Dimensions: 14.7" (H)
(W) x 17.3"(D) (includes feet,
amplifier)
Weight (unboxed): 35 pounds
Shipped Dimensions: 21" (H)
x 22"(D)
Weight: 51 pounds

Driver Specs:

SVS 12" NSD driver
2" diameter, high-power
voice coil with high-temp
former
Nomex linear roll long-
throw spider
Low-creep rubber long-
throw surround
Spider-integrated tinsel
leads
Aluminum cone and
composite dust cap with
SVS logo

Powder-coated cast aluminum
basket
Finite Element Analysis (FEA)-
optimized motor structure
Dual shorting rings and pole
extenders to reduce gap induction
and distortion
Dual high-grade ferrite magnets

Amplifier Specs:

STA-400D Sledge with 400 watts RMS
continuous power (800 watts peak
dynamic power)
High efficiency cool-running Class D
switching topology
Detachable power cord with main power
switch and fuse
RoHS compliant, lead-free construction
and world-wide safety certifications
Auto-On / On switch with "green" standby
mode

Stereo line-level RCA
input/output
connections

Fully adjustable low pass filter
with Disable setting

Unfiltered (for daisy-chain) and
80 Hz HPF line level RCA outputs

Customized EQ and DSP limiter
settings specifically for the
SB12-NSD

Input impedance - 20 k Ω
(unbalanced RCA)