Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

MOTU M2



Šifra: 13935
Kategorija prozivoda: USB Zvučne kartice
Proizvođač: MOTU

Cena: 31.080,00 rsd

BEST IN CLASS

Audio Quality

Equipped with the same ESS Sabre32 Ultra™ DAC Technology found in audio interfaces costing thousands, the M2 delivers an astonishing 120 dB Dynamic Range on its main outputs. ESS converters also drive the headphone output, which rivals dedicated headphone amplifiers costing hundreds. Ultra-clean preamp circuits produce a measured -129 dBu EIN on the mic inputs. Capture and monitor your audio with pristine clarity.

☑ ESS Sabre32 Ultra™ DAC technology for superb analog sound

☑ The same converter technology used in audio interfaces costing thousands

☑ Measured 120 dB dynamic range on outputs


☑ Measured -129 dBu EIN on mic inputs

☑ ESS-driven headphone output

BEST IN CLASS

Speed

The M2 provides best-in-class speed for monitoring live inputs (mic, guitar or keyboard) through your computer, thanks to MOTU's expertly engineered USB drivers, which deliver class-leading, ultra-low 2.5 ms Round Trip Latency (at 96 kHz with a 32 sample buffer).



LIVE STREAMING

Loopback

The M2 driver provides convenient loopback channels to your host computer, so you can easily route computer output back to the computer, where you can mix it with live mics and/or guitar inputs from the M2 in your host software for live streaming or podcasting. Streaming and podcasting has never been easier and better-sounding!

TECH SPECS

Technical Specifications

Sample rates	44.1, 48, 88.2, 96, 176.4, 192 kHz
Mic/line/guitar inputs	2 x XLR/TRS "combo jack" mic/line/Hi-Z guitar inputs Independent preamp gain, 48V phantom power and monitor switch for each input
Analog outputs	2 x 1/4" TRS line out (balanced, DC coupled) 2 x RCA (unbalanced) analog out (mirrored) 1 x 1/4" TRS stereo headphone
Computer I/O	1 x USB-C (compatible with USB Type A) 2.0 audio class compliant

MIDI I/O	1 x MIDI IN 1 x MIDI OUT 16 MIDI channels to/from computer host
Headphone	1 x 1/4" TRS stereo phone
Phantom power	2 x individual +48V
Front panel	1 x 1/4" TRS headphone output 2 x XLR/TRS combo inputs 1 x potentiometer • monitor vol 1 x potentiometer • phone vol 2 x potentiometer • mic/instr input gain 4 x switches • (2) 48V and (2) MON 160 x 120 pixel full-colored LCD with input and output level meters
Power	Bus-powered through USB
Dimensions and weight	(width x depth x height, enclosure only) 7.5 x 4.25 x 1.75 inches 19.05 x 10.8 x 4.5 cm 1.35 lbs / 0.61 kg

System Requirements

Mac System Requirements	1 GHz Intel-based Mac or faster 2 GB RAM; 4 GB or more recommended macOS version 10.11 or later (Optional driver requires 10.13 or later) Available USB port A large hard drive (at least 500 GB for recording)
Windows System Requirements	1 GHz Pentium-based PC compatible or faster 2 GB RAM; 4 GB or more recommended Windows 7, 8 or 10 Available USB port A large hard drive (at least 500 GB for recording)
Class-Compliant Support	USB audio class compliant for plug-and-play operation on Mac or iOS (no driver required)
Included Software	MOTU Performer Lite Ableton Live 10 Lite 6GB of loops and sounds from Big Fish Audio, LucidSamples, Loopmasters and MOTU

Analog I/O

	Connector type	Dynamic range (A-weighted)	THD+N (unweighted)	Max level

Line Output	1/4" TRS, balanced, tip hot	120dB	-110dB	+16dBu
Mic input	XLR, balanced, pin 2 hot	115dB	-129dBu EIN	+10dBu (at minimum gain)
Phones	1/4", TRS stereo	115dB	-110dB	+12.5dBu

Compatible Mac Software
Compatible Windows Software

The M2 ships with standard Core Audio drivers for macOS for compatibility with virtually all Core Audio-compatible audio apps, including:

The M2 ships with standard ASIO and Wave drivers for Windows 7, 8 and 10 for compatibility with virtually all ASIO- and Wave-compatible audio apps, including:

MOTU Performer Lite
MOTU Performer Lite
MOTU Digital Performer
MOTU Digital Performer
Avid Pro Tools (version 9 or later)
Avid Pro Tools (version 9 or later)
Apple Logic Pro
Ableton Live
Apple GarageBand
Apple SoundTrack Pro
Apple MainStage
Native Instruments Kontakt
Presonus Studio One
Steinberg Cubase
Steinberg Nuendo
Sony Vegas Pro
Cockos Reaper
Magix Samplitude
Sony Acid
Waves standalone
Tracktion

M2 Feature Highlights

2-in/2-out USB audio interface with studio-quality sound
Apple Logic Pro with 2.5 ms Round Trip Latency (32 sample buffer at 96 kHz)
Reference-class audio quality driven by ESS Sabre32 Ultra™ DAC Technology
Apple Logic Express
Ableton Live (optimized, for 2.5 ms RTL@32/96 kHz and loopback feature)
Core Audio driver (optimized for low latency and high speed) for host software processing
Class-compliant (USB audio class compliant)
Front-panel metering for all inputs/outputs with a full-color LCD
Driver loopback for capturing host output, live streaming and podcasting
2 mic/line/Hi-Z guitar inputs on combo XLR/TRS
Bus-powered USB-C (compatible with USB Type A) with power switch (USB cable included)
Individual front-panel 48V phantom power for each input
Legendary Studio Construction
Hardware (direct) monitoring for each input (mono or stereo)
Independent Record & Playback (MOTU Performer Lite 10 and Ableton Live Lite 10)
Premium 129 dB EIN mic preamps
Software Instruments (in Performer Lite)
2 balanced DC-coupled 1/4-inch TRS outputs
Over 6 GB of included free loops, samples and one-shots from industry leading libraries
Measured 120 dB dynamic range on the 1/4-inch balanced TRS outputs
Native Instruments Kontakt
2 RCA (unbalanced) analog out (mirrored)
Built in the USA
Stereo headphone out (driven by ESS converters) with independent volume control
Two-year warranty

Support for 44.1 to 192 kHz sample rates

USB audio class compliant for plug-and-play operation on Mac (no driver required)

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.