

logo not found or type unknown

Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

JBSYSTEMS LEDCON-XL

Šifra: 14286
Kategorija proizvoda: DMX Kontrole i Dimeri
Proizvođač: JBSYSTEMS

Cena: 17.880,00 rsd

JBSYSTEMS LEDCON-XL

logo not found or type unknown

The projector control section is a more performant version of our famous LEDCON-02 Mk2:

4 or 8 channel LED light modulator with integrated, speed or music controlled, chases.

For each of the 4 or 8 channels, you can select the DMX setup of the projector you are using. (RGB, RGBW, RGBWA, etc.) so the unit becomes compatible with almost any LED projector that is available on the market !

Each of these channels can be switched on/off if needed. (blackout for certain projectors)

Extra UV button for the use with for example 6-in1 LED projectors that include an UV LED

Separate dimmer and
strobe fader.

Fixed color mode: Instant
access to 9 pre-
programmed colors with
adjustable fade-over
time

Static chase mode: 12
different color chases
with manual speed
control

Sound chase mode: 12
different color chases
with audio triggering via
the audio input or the
integrated microphone

Spectrum mix: 32
different spectrum mix
colors, including color
fades

The extra fader section is comparable to our
SCENEMASTER SCM-1:

This makes it possible to
control extra projectors,
light effects, foggers, etc.
via the same DMX line

Perfect to control moving heads equipped with our unique SMART-DMX mode (previously known as DMX-MSL mode).

You can use the faders as 8 individual DMX channels or create 8 scenes (combination of faders)

General : Application	DJ & Club, Stage & Rental
General : Series	N/A
General : Dimensions (cm)	48 x 13 x 7,5
General : Weight (kg)	2.2
General : Powerinput	AC 240V, 50Hz, External adaptor, 9Vdc, External adaptor, 12Vdc
General : Energy Label	No
General : Color	black
General : Display	No
General : RU	No
General : IP rating	indoor
Control : programmable	No
Control : upgradable software	No
Connections : output	3 pin XLR

