© Goe not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

5NS-3000 Microv Bianon Gloss Black Aktivni vufer

## SVS 3000 Micro Piano Gloss Black Aktivni vufer

Šifra: 15054

Kategorija prozivoda: Hi-Fi Subwooferi

Proizvođač: SVS

Cena: 119.880,00 rsd

Featuring innovations from the reference SVS 16-Ultra subwoofers married to fully active dual opposing 8-inch drivers, and an 800 watt RMS, 2,500 watt Peak Power Sledge STA-800D2 amplifier with discrete MOSFET output, 3000 Micro delivers performance that obliterates every micro subwoofer that has come before. It also features the powerful SVS subwoofer control smartphone app for advanced tuning and DSP. Finally, a micro subwoofer worthy of the name SVS.

Dual opposing 8-inch active drivers designed acoustically and electrically in parallel

800-watt RMS, 2,500-watt peak Sledge STA-800D amplifier with fully discrete MOSFET output

Rear-mounted internal amplifier with Intelligent Control Interface (ICI)

High-end Piano Gloss Black and Piano Gloss White finish options

Screw-in rubber feet
Structurally reinforced MDF cabinet construction
Fully Active Dual Opposing 8-inch Drivers
Image not found or type unknown
Fully Active

Dual Opposing 8-inch Drivers

A firstever design for SVS, two fully active 8inch woofers

are

mounted

on

opposite

sides of

the

sealed

cabinet

and

move in

perfect

unison

to

generate

stunning

low

frequency

output

with

crisp,

musical

transients.

The

usable

surface

area of

two

fully-

active 8-

inch

woofers

firing in

opposite

directions

achieves

performance

on par

with

significantly

larger

single-

driver

subwoofers.

Its tight,

punchy

output

obliterates

multi-

driver

passive

radiator

subwoofer

designs

known

for their

bloated

and

boomy

sound.

**Innovative Motor Assembly** 

Image not found or type unknown

## Innovative Motor Assembly

An

oversized, vented motor structure is optimized for efficient thermal and mechanicalenergy management in a confined space. Massive electromagnetic force

produced by the motor, in symphony with the high current driving power of the Sledge amplifier, allows the 3000 Micro to maximize on the output potential of the

dual drivers.

Sledge STA-800D2 Amplifier

Image not found or type unknown

Sledge STA-800D2 Amplifier

An 800 watt RMS, 2,500+watt

peak

power

Sledge STA-

800D2

power

amplifier

that

combines

the high-

current

output

of

discrete

**MOSFETs** 

with

Class D

efficiency

and the

processing

power

of an

**Analog** 

Devices

DSP.

The

3000

Micro

subwoofer's

amplifier

effortlessly

produces

sustained

high-

current

output

for the

most

difficult

low

frequency

playback

without

clipping

or

bottoming

out.

Convincing,

high-

impact

audio

experiences

without

a trace of

distortion.

Dimensions (including grilles)	10.9" (278mm) H X 11.7" (297mm) W X 10.7" (271mm) D
Weight:	22.5lbs (10.2kg)
Packaged Dimensions:	13.9" (353mm) H X 15.4"
Packaged Weight:	26.7lbs (12.1kg)