

## Polk Audio Reserve R200 Black zvučnici za policu/stalak

Šifra: 15453

Kategorija prozivoda: Bookshelf Zvučnici

Proizvođač: Polk audio

**Cena: 59.880,00 rsd**

Polk Audio Reserve R200 Black zvučnici za policu/stalak

FLAGSHIP SOUND

WHAT BETTER SOUNDS LIKE

Inheriting best-in-class technologies from our flagship Legend series of loudspeakers, the Polk Reserve series helps teach you what better sounds like.

### AMAZING SOUND AND ELEGANCE

With understated elegance, the Reserve line has a minimalist design with universal appeal. Inheriting Polk's flagship transducer array, the R200 produces exceptional sound that rivals competitor speakers that sell for twice the price.

### SIT RIGHT EVERYWHERE

### PINNACLE RING RADIATOR TWEETER

The Pinnacle Ring Radiator Tweeter's distinctive pointed shape guides the dispersion of high frequency sounds around a room. This innovation widens the sweet spot and allows you freedom to enjoy your music and movies wherever you choose to sit.

### STRENGTH IN MOTION

### TURBINE CONE WOOFER

Our pioneering turbine design delivers a significant increase in cone rigidity without increasing mass. This innovation means the woofer can move with increased accuracy and speed to deliver enhanced sound resolution, enabling you to experience a breathtaking level of detail in your music and movies.

## PURITY OF SOUND

### X-PORT

Polk's proprietary X-Port eliminates unwanted noise created as air moves in and out of the speaker cabinet port at high-speeds. This ensures a rich and detailed listening experience with tight distortion-free bass and a clean midrange.

### FORM AND FUNCTION

### EXCEPTIONAL CABINETRY

Reserve's sleek cabinetry hides a world of audio innovation. Cabinets are carefully cross-braced to best eliminate unwanted interior resonances. Rounded exterior corners help disperse sound broadly around the room with minimal diffraction, creating an open sound stage.

### HI-RES AUDIO CERTIFIED

Your sound is only as good as your source. With Hi-Res Audio certification, the Polk Reserve R200 bookshelf speaker delivers clear and detailed high-end response. Female vocals are particularly smooth and detailed without coloration. Plus, a minimum support of 40kHz perfectly reproduces the latest Hi-Res Audio files with improved audio extension.

### CERTIFIABLY EXCELLENT

### HI-RES CERTIFIED, DOLBY ATMOS ENABLED & IMAX ENHANCED

The Reserve Series sets the benchmark for music and movie audio excellence

### Specification

Speaker Type	Standmount
UOM (Sold As)	Pair
TRANSDUCER	
Tweeter	1" Pinnacle Ring Radiator
Mid-range/Mid-bass	-
Woofer	6 1/2" Turbine Cone
Overall Frequency Response	39Hz - 50kHz
Frequency Response (-3dB limits)	51Hz - 38kHz
Recommended Amplifier Power	30 - 200W
Amplifier Output Compatibility	8Ω / 6Ω / 4Ω
Minimum Impedance (ohms)	3.8Ω
Sensitivity (2.83V/1m)	86dB

## CROSSOVER

Tweeter/Mid-range Crossover Frequency	3000
---------------------------------------	------

Mid-range/Mid-bass Crossover Frequency	-
--	---

## MEASUREMENTS

Product Dims W x H x D (Includes width of feet)	190 x 359 x 353.8mm 7.5 x 14.1 x 13.9 in
---	--

Product Weights (each)	19.1 lbs/8.7 kg
------------------------	-----------------

Shipping Weight	43.4 lbs/19.7 kg
-----------------	------------------

## CABINERY

New CRC (Mid-Range Enclosure Type)	-
------------------------------------	---

Mid-Bass / Woofer Enclosure Type	Rear X-Port
----------------------------------	-------------

Available Finishes	Black / Walnut / White
--------------------	---------------------------

Feet	Rubber pads
------	-------------

Wall-Mountable (keyhole slots)	No
Binding Posts: Nickel-plated 5-Way	Single
Certifications (Non-Safety and Regulatory)	
Hi-Res Certified	Yes
IMAX Certified	No
Shipping Dims (WxHxD)	533 x 448 x 452mm (21 x 17.6 x 17.8) in

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cene iskazanih na sajtu, zadržava pravo izmena cene. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.