logoe not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

Pioneer VM-80 - Studijski monitor

Piloneer WM-80 tyStudijskirmonitor

KEY

FEATURES

Šifra: 15519 Kategorija prozivoda: Aktivni Studijski Monitori

Cena: 34.680.00 rsd

Proizvođač: Pioneer DJ

Recreate club-style sound

High-quality components

Every VM series speaker includes a Class D amplifier with 96 kHz sampling DSP to enable wide-bandwidth

Clear, low-distortion audio with fast-attacking bass:

audio reproduction. Its highly efficient performance results in low distortion and high-energy sound. The 4-mm-thick rigid aluminum front baffle further suppresses resonance and vibrations, delivering sound that's authentic to the original source.

Aramid fiber woofer cones and Vortex Bass Accelerator

Aramid fiber woofer cones provide outstanding punch that you'll feel in the bass and low-mid frequencies. These newly developed cones are 30 percent lighter than conventional paper-lined Aramid cones, making them stronger with deeper sound.

The Vortex Bass Accelerator ensures that low-end audio is tight and free from unwanted vibrations, as ribs in the bass reflex port mean that air flows freely from the speaker to deliver pure sound.

Constant directivity horn

Mid and high-frequency sounds are delivered with power thanks to the constant directivity horn, which also creates a broad, uniform listening space. The shape of the horn and the woofer edge are specially designed so the flat playback frequency crosses over to the tweeter easily, resulting in a natural sound.

Easily adjust the sound to suit your room

DSP control

All VM series speakers are voiced flat to ensure you hear the natural sound of the music. To help you tweak the output and find the sound that's perfect for the room you're working in, each speaker includes DSP settings. On the rear panel, you'll find 2 knobs: Low EQ and High EQ. Without needing to look, you can click the knobs into 4 different positions each, giving you 16 possible EQ settings that are simple to engage. Choose the one that sounds best for DJing or producing music in your home or studio, depending on the shape, size, and construction of the room.

LOW EQ

Use this to adjust the bass, depending on the location of your speaker and the kind of sound you want for DJing or producing music.

L1: ROOM 1 – This setting reduces the bass (6 dB HPF applied at 63 Hz) and is effective when your speaker is near a wall or at times when you don't want heavy bass, e.g. late at night.

L2: FLAT – Flat frequency response for a true sound. This is the most popular setting for producing music in an acoustically treated room.

L3: ROOM 2 – This setting increases the bass (2.5 dB boost using a bell EQ at 50 Hz) and is ideal to use when you need some extra punch, e.g. in a large space.

L4: CLUB BASS – More power in the bass (5 dB boost using a bell EQ at 50 Hz, and 2 dB boost using a bell EQ at 200 Hz), for a club-like sound. This setting is the best to use when you want as much bass as possible, e.g. for parties.

HIGH EQ

Use this to adjust the treble, depending on the location of your speaker and the kind of sound you want for DJing or producing music.

H1: ROOM 1 – This setting reduces the volume of high frequencies (3 dB reduction using a high shelf EQ from 3.5 kHz to 12 kHz) and is effective when the room is reverberant and the high frequencies are overpowering.

H2: FLAT – Flat frequency response for a true sound. This is the most popular setting for producing music in an acoustically treated room.

H3: ROOM 2 – This setting increases the volume of high frequencies (3 dB boost using a high shelf EQ at 7 kHz) and is ideal for generating brighter sounds in a room or space where the treble seems to be lost.

H4: BRIGHT TREBLE – This setting can produce a clearer sound (thanks to a 1.5 dB boost using a bell EQ at 4 kHz and a 3.5 dB boost using a bell EQ at 8 kHz) and help the details of individual musical instruments to stand out. For example, the outlines of the sound of guitars, cymbals, trumpets, etc. can be heard more clearly.

Enhance the look and sound of your setup

Fresh, professional design

The brand-new design of the hexagonal aluminum front baffle brings a fresh look, as well as improved sound quality and durability. It cuts down unwanted vibrations for lower distortion while the tweeter protective guard reduces the risk of damage to the high-frequency diaphragm. And the Alumite treated brushed texture gives the speakers a professional finish so they look right at home next to Pioneer DJ gear.

Specifications

Main Features

| Туре | Bi-amp 2-way active speaker |
|---------|-------------------------------|
| Tweeter | 1-inch (25 mm) SILK soft dome |
| Woofer | 8-inch (203 mm) ARAMID cone |

| Auto Standby | Yes |
|-------------------|--|
| What's in the Box | VM-80 x 1 (not sold as a pair) Power cable x 1 Cushioned feet pads x 1 (4pcs/1 sheet) Precautions for Use Instruction Manual Warranty (for some regions) |
| | |
| Specifications | |

| Maximum Sound Pressure | 115 dB |
|------------------------|----------------------------|
| Width | 267 mm |
| Height | 400 mm |
| Depth | 325 mm |
| Weight | 9.7 kg |
| Frequency Range | 34 Hz - 36 kHz Hz |
| Power Supply | AC 100-240 V, 50 Hz / 60Hz |

| Amplifier Output | Class D with 96kHz DSP LF: 90 W / 4 Ω HF: 30 W / 4 Ω |
|----------------------|--|
| Impedance | 10 kΩ |
| High EQ | 4 selective EQs |
| Low EQ | 4 selective EQs |
| Cross Over Frequency | 3 kHz |
| Enclosure | Bass reflex |
| Enclosure material | MDF vinyl laminate |
| Baffle material | HIPS with 4mm Aluminum Plate |

Terminals

Inputs

XLR/TRS combo x 1 (balanced input) RCA x 1 (unbalanced input)

