

## ZOOM ZDM1-PMP

Šifra: 15657  
Kategorija proizvoda: Studio Paketi  
Proizvođač: ZOOM

**Cena: 14.680,00 rsd**

tripod stand.

The Zoom ZDM-1 dynamic mic and its custom windscreen help you record your voice with full, broadcast-quality tone and minimal noise from breaths and room ambience while the ZHP-1 closed-back headphones ensure transparent audio reproduction for critical listening. For simple and convenient setup of the mic, the ZDM-1 Podcast Mic Pack also includes an XLR mic cable and a tabletop

## Zoom ZDM-1 Dynamic Microphone

Tuned to deliver a robust vocal tone with smooth highs and tight lows, the **Zoom ZDM-1** is an affordable dynamic microphone that's ideal for podcasters, radio show announcers, rappers, and singers. Thanks to its high SPL handling and broad frequency response, this end-address mic makes it easy to capture your voice with mix-ready broadcast quality.

The large-diaphragm dynamic capsule utilizes a supercardioid pickup pattern to effectively reduce ambient sound such as room noise at the sides of the mic. To isolate the pickup element from handling noise, vibrations, and rumble, the ZDM-1 employs an integrated shock-absorbing mechanism. The ZDM-1's integral humbucking circuit improves the signal-to-noise ratio by inhibiting electromagnetic interference from common sources such as wireless devices, power lines, computer displays, and more.

The all-metal body and grille afford ruggedness and durability for reliable use session after session. The ZDM-1 includes a pivoting mic stand mount for easy positioning and a custom windscreen for attenuation of plosives and breath noise.

Large-diaphragm dynamic design captures smooth, broadcast-quality sound

Classic end-address style

Supercardioid polar pattern provides focused pickup and excellent isolation

High 135 dB SPL handling ensures clean recordings every time

50 Hz to 18 kHz frequency response with tight bass and smooth highs enhances vocal tone for radio, podcasting, and more

Internal shockmount provides isolation from bumps and handling noise

Built-in humbucking circuit rejects electromagnetic interference

Balanced XLR output connector

All-metal body and grille stands up to daily use

Includes pivoting mic stand mount, threaded adapter, and custom windscreen

UPC: 884354023928

## Zoom ZHP-1 Over-Ear, Closed-Back Headphones

The **Zoom ZHP-1** are over-ear headphones designed to deliver a neutral, transparent sound for music tracking, editing, and mixing applications, location recording, and monitoring film sound on set. The 40mm neodymium dynamic drivers provide high sensitivity and a wide frequency response of 10 Hz to 20 kHz while the closed-back design enhances acoustic isolation.

Thanks to the self-adjusting headband and replaceable leatherette earpads, the ZHP-1 offer comfort and a fit that accommodates a variety of head sizes. The earcups are rotatable to allow easy single-ear monitoring for vocal sessions and quick signal checks.

The detachable single-sided cable is terminated with a 3.5mm TRS mini plug for compatibility with mobile devices and portable audio recorders, and a 1/4" adapter is included for hookup to audio interfaces, headphone amps, and mixers.

High-sensitivity neodymium dynamic drivers provide a neutral, transparent sound and a frequency response of 10 Hz to 20 kHz

Self-adjusting headband and leatherette earpads ensure comfortable wearing and help your ears stay cool and dry

Over-ear, closed-back design prevents sound from your headphones bleeding into your microphone, keeping noise out so you can critically focus on editing and mixing

Long single-sided cable attaches to the earcup, and an included clasp keeps the cable securely in place

Rotating earcups allow for easy single-ear monitoring

Replaceable leatherette earpads extend the life of the headphones

Sturdy, lightweight construction

Includes a 3.5mm to 1/4" adapter

## Zoom TPS-4 Tabletop Tripod Mic Stand

The **Zoom TPS-4** is a tripod mic stand offering a compact and lightweight solution for positioning your favorite microphone on a table or desk. Its universal 5/8"-27 thread is made of metal to ensure durability while accommodating most mic clips, shockmounts, and integral mic threads. The height of the TPS-4 can be adjusted from 3.85 to 5" via a simple twist clutch for optimal placement.

## Zoom ZDM-1 Dynamic Microphone Specs

Microphone

Primary Applications	Studio Recording, Broadcast
Form Factor	Stand/Boom Mount
Sound Field	Mono
Operating Principle	Pressure Gradient
Capsule	<b>1 x</b> Dynamic
Polar Pattern	Supercardioid
Orientation	End Address
Circuitry	Solid-State
Pad	<i>None</i>
High-Pass Filter	<i>None</i>
Tone Adjustment	<i>None</i>
Indicators	<i>None</i>
On-Board Controls	<i>None</i>
Windscreen	Foam (Included)

Performance

Frequency Range	50 Hz to 18 kHz
Maximum SPL	135 dB SPL
Impedance	200 Ohms
Load Impedance	200 Ohms (Minimum)
Sensitivity	-54 dBV/Pa

Connectivity

Output Connectors (Analog)	1 x XLR 3-Pin Male
Headphone Connector	None

Physical

Color	Black
Mounting	3/8"-16 Female, 5/8"-27 Female (with Included Hardware)
Included Case	None
Included Filters	None
Construction Material	Metal
Dimensions	ø: 2.12 x L: 5.19" / ø: 5.38 x L: 13.18 cm
Weight	14.11 oz / 400 g

Packaging Info

Package Weight	1.31 lb
Box Dimensions (LxWxH)	8.4 x 5.1 x 3.5"

Zoom ZHP-1 Over-Ear, Closed-Back Headphones Specs

Headphone

Earpiece Design	Over-Ear (Circumaural), Closed-Back
Earpiece Connection / Wearing Style	Headband
Foldable	No
Driver Type	Dynamic
Driver Size	1.57" / 40 mm
Magnet Type	Neodymium
Impedance	68 Ohms
Active Noise Cancellation	No
Contact Pressure	4.5 N

Performance

Frequency Response	10 Hz to 20 kHz
Sensitivity	102 dB SPL at 1 kHz / 1 mW
Maximum Power Handling	200 mW

Wired Connectivity

Audio Connector to Source	<b>1 x</b> 1/8" / 3.5 mm TRS Male Straight
Adapter (Included)	1/4" TRS
Cable Design	Single-Sided, Detachable
Audio Connector to Earpiece	<b>1 x</b> 1/8" / 3.5 mm Male
Cable Length	9.84' / 3 m
Cable Color	Black

Physical

Water Resistance	None
Material of Construction	Leatherette
Weight	6.7 oz / 190 g

Zoom TPS-4 Tabletop Tripod Mic Stand Specs

Stand

Height	3.85 to 5" / 9.78 to 12.70 cm
Base Type	Tripod
Adjustment Type	Twist Clutch

General

Mounting Thread	5/8"-27 Male
Finish	Black

Packaging Info

Package Weight	0.25 lb
Box Dimensions (LxWxH)	6.3 x 1.5 x 1.5"