©©© not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

Rioneert DMrc50 Dr.W unknown

Pioneer DM-50D-W

Šifra: 16007

Kategorija prozivoda: Aktivni Studijski Monitori

Proizvođač: Pioneer DJ

Cena: 29.880,00 rsd

The class-D amplifier outputs 2 x 25W of power at 4 ohms. The 5" fiberglass woofers deliver a natural, punchy bass, and the 3/4" soft-dome tweeters deliver well-balanced high frequencies. A stereo mini-jack headphone output with a speaker-volume knob are built into the front panel of the speaker.

The rear panel features dual 1/4", stereo RCA, and 3.5mm stereo mini-jack inputs, along with an output to the right satellite speaker. In addition, a power cord, a 6.6' speaker cable (for the satellite speaker), a 3.5mm to RCA adapter cable, and bottom cushions are also included.

Advanced Design for High-Performance Sound

Each DM-50D speaker produces pure, balanced bass sound, thanks to a new Class-D amplifier with 96 kHz sampling DSP. In addition, the DM-50D model features an updated DECO convex diffuser to help deliver crystal-clear high frequencies in every direction. When artists need to raise the volume, the new 5-inch woofer creates extra power and its tweeter alignment allows artists to hear pristine sound frequencies. The grooves on the ducts reduce air friction to provide tight and punchy bass, while the curved front edges

| provide maximum rigidity and minimum resonance for clean audio at any volume level. |
|--|
| |
| |
| |
| 2-Way Sound Mode Optimized for DJing or Music Production |
| |
| Gone are the days of deciding whether a monitor is best for DJing or making music—the DM-50D speakers accommodate to both needs. Artists simply flip the switch to choose either DJ mode or Production mode, and the DSP settings will optimize for the task, leaving artists free to concentrate on their mix. |
| |
| |
| |
| DJ and Music Production Equipment Compatibility |
| |
| With RCA, mini-jack, and newly added TRS input terminals, artists can connect different kinds of gear including DJ controllers and mixers, or the laptop and soundcard artists use for music production. Connecting and disconnecting headphones is simple via the mini plug on the DM-50D front panel. Volume control is easily accessible with the volume level knob now featured on the front of the speaker, removing the need to reach behind the back of the speakers to adjust the sound. |
| |
| |
| |

Sleek Design Catering to Any Style

Artists can bring a slick, professional look to their setup by choosing from two different colors. The finish of the black DM-50D can seamlessly blend with classic DJ equipment while the white DM-50D-W can better complement the interior design of the artist's creative environment.

Pioneer DJ DM-50D Specs

Studio Monitor

| Monitor Type | Active 2-Way |
|---------------|--|
| Enclosure | Bass-Reflex, Shielded |
| Power Rating | 25 W RMS per Channel |
| Impedance | 4 Ohms |
| Drivers | LF Driver: 1 x 5" / 127 mm Fiberglass Woofer HF Driver: 1 x 0.75" / 19.05 mm Dome Tweeter |
| Amplification | 2 x Full-Range Amplifier: Class-D |

| EQ | | | None | |
|----------------|---|--------------------------|----------------|--|
| Filters | | | None | |
| Parametric EQ | | | None | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Connectivity | | | | |
| | | | | |
| | 2 x 1/4" TRS Balanced Female | Analog Input (10 Kilohms | 5) | |
| Audio I/O | 1 x Stereo RCA Unbalanced Fe 1 x 1/8" / 3.5 mm TRS Unbalar | emale Analog Input | | |
| ' | 1 | | | |
| | | | | |
| | | | | |
| | | | | |
| Digital Audio | | | | |
| | | | | |
| Max Sample Ra | ate/Resolution | 9 | 6 kHz / 24-Bit | |
| | | 11 | | |
| | | | | |
| | | | | |
| | | | | |
| Power | | | | |
| | | | | |
| 101 :- | | 110 . 040 | | |
| AC Input Power | • | 110 to 240 VAC, 50/60 H | IZ | |

| Power Consumption | 25 W 0.3 W (Standby) | |
|-------------------|-------------------------|--|
| | | |

General

| Enclosure Material | MDF |
|------------------------|---|
| Mounting Points | None |
| Dimensions (W x H x D) | 6.9 x 10.1 x 10.3" / 175.3 x 256.5 x 261.6 mm 6.9 x 9.7 x 10.3" / 175.3 x 246.4 x 261.6 mm |
| Weight | 8.6 lb / 3.9 kg 7.7 lb / 3.5 kg |

Packaging Info

| Package Weight | 20.72 lb |
|------------------------|---------------------|
| Box Dimensions (LxWxH) | 18.1 x 15.5 x 12.7" |

