Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

FOCUSRITE Clarett+ 2Pre

Šifra: 16011
Kategorija prozivoda: USB Zvučne kartice
Proizvođač: Focusrite



Cena: 43.080,00 rsd

Form Factor	Tabletop
Display	*None*
Channels of I/O	**Analog:** 2 Inputs / 4 Outputs **Digital:** 8 Inputs / 0 Outputs
Max Sample Rate/Resolution	192 kHz / 24-Bit
Number of Mic Preamps	2
Input Level Adjustment	**2 x** Knob
Expansion Slots	*None*
Pad	*None*
Gain/Trim Range	**Mic/Line/Hi-Z Inputs:** +57 dB
High-Pass Filter	*None*
Solo/Mute	*None*

Connectivity

Analog Audio I/O	**2 x** Combo XLR-1/4" TRS Balanced/Unbalanced Mic/Line/Hi-Z Input (Front Panel) **4 x** 1/4" TRS Balanced Line/Monitor Output **1 x** 1/4" TRS Unbalanced Headphone Output (Front Panel)
Phantom Power	48 V, Selectable On/Off (Selectable on Individual Inputs)
Digital Audio I/O	**1 x** TOSLINK Optical ADAT Input (S/MUX Support)
Host Connection / USB	**1 x** USB Type-C (USB 2.0)
USB (Non-Host)	*None*
Sync I/O	*None*
Network I/O	*None*
MIDI I/O	**1 x** DIN 5-Pin Input **1 x** DIN 5-Pin Output
Wireless Connectivity	*None*

Performance

Frequency Response	**Mic Inputs:** 20 Hz to 20 kHz ±0.03 dB 20 Hz to 35 kHz ±0.15 dB **Line Inputs:** 20 Hz to 20 kHz ±0.05 dB 20 Hz to 35 kHz ±0.15 dB **Hi-Z Inputs:** 20 Hz to 20 kHz ±0.04 dB 20 Hz to 35 kHz ±0.15 dB **Line, Monitor Outputs:** 20 Hz to 20 kHz ±0.02 dB 20 Hz to 35 kHz ±0.02 dB **Headphone Outputs:** 20 Hz to 20 kHz ±0.06 dB 20 Hz to 35 kHz ±0.07 dB

Max Input Level	**Mic Inputs:** +18 dBu **Line Inputs:** +26 dBu **Hi-Z Inputs:** +15 dBu
Max Output Level	**Line/Monitor Outputs:** +18 dBu **Headphone Outputs:** +16 dBu
Impedance	**Inputs:** 2.2 Kilohms
Dynamic Range	**Mic Inputs:** 118 dB (Min Gain) **Line Inputs:** 118 dB (Min Gain) **Hi-Z Inputs:** 116 dB **Line/Monitor Outputs:** 124 dB **Headphone Outputs:** > 118 dB
THD+N	**Mic Inputs:** -110 dB (+20 dB Input, at -1 dBFS) **Line Inputs:** -100 dB (Min Gain, at -1 dBFS) **Hi-Z Inputs:** -96.5 dB (Min Gain, at -1 dBFS) **Line/Monitor Outputs:** -106 dB **Headphone Outputs:** -104 dB
EIN	**Mic Inputs:** < -129 dBu

Digital Audio

Sample Rates	44.1 / 48 / 88.2 / 96 / 176.4 / 192 kHz
Sample Rate Conversion	*None*
Bit Depths	24-Bit (AD/DA Conversion)
Sync Sources	ADAT, Internal, S/PDIF

Memory Card Slot	*None*

Compatibility

OS Compatibility	macOS 10.11 or Later macOS 11 Windows 7 or Later
Included Software	*None*
Compatible Software (Not Included)	Any Core Audio (Mac) Compliant Software
Included Plug-Ins	**Preamp & Channel Strip:** Brainworx bx_console Focusrite SC **Dynamics:** Focusrite Red 3 Compressor **Equalization:** Focusrite Red 2 Equalizer
Supported Drivers/API & Plug-Ins	Proprietary
Mobile Device Compatibility	*None*
Required Hardware	Available USB 2.0 Port, USB 3.0 / 3.1 Gen 1 Port, or USB Type-C Port USB Cable (Included)
Internet Connection	Required for Registration, Software/Driver Download

Power

Power Requirements	AC/DC Power Adapter (Included) or USB Bus Power
AC/DC Power Adapter	12 VDC at 1.5 A, Center-Positive (Included)

Physical

Anti-Theft Features	Kensington Security Slot
Dimensions	8.27 x 6.34 x 2.17" / 21.01 x 16.1 x 5.51 cm
Weight	3.0 lb / 1.4 kg

Packaging Info

Package Weight	4.085 lb
Box Dimensions (LxWxH)	10.6 x 10.2 x 4.5"

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.