

MACKIE CR8-XBT - Studijski monitor

Šifra: 16029

Kategorija proizvoda: Aktivni Studijski Monitori

Proizvođač: MACKIE



Cena: 38.280,00 rsd

The pair consists of one passive speaker and one powered speaker that connect with an included speaker cable. Each monitor incorporates a custom-tuned rear port to smoothly extend the low end and a specially designed waveguide for clarity and proper dispersion of high frequencies.

With plenty of I/O provided, the CR8-XBT can accept either a wired connection from your audio interface or computer soundcard or a wireless stream via Bluetooth from your mobile device. Either way, your music can be pumped out to the drivers or your favorite headphones.

The CR8-XBT features a download for ProTools | First and The Musician's Collection plug-in package including 23 high-quality plug-ins with BBD Delay, Eleven Lite, the 304E EQ, and the 304C Compressor.

General Features

For recording, mixing, sound design, gaming, and casual listening

All-wood cabinet with a brushed-metal front panel

Built-in Bluetooth receiver enables wireless music streaming from your smartphone, tablet, or Bluetooth-enabled computer

3.5mm, RCA, and 1/4" inputs accommodate balanced or unbalanced stereo line-level signal from your audio interface, mixer, soundcard, or mobile device

Front-panel 3.5mm headphone port auto-defeats speaker output

160W of amplification drive the 8" polypropylene-coated woofers and 0.75" ferrofluid-cooled, silk-dome tweeters

Speaker placement switch lets you choose which side to use for the on/off/volume control

Includes a 3.5mm to stereo RCA cable for connecting your computer to the speakers, a standard 3.5mm cable to plug in your smartphone, and a speaker cable to connect the left and right monitors

Included monitor isolation pads minimize boomy bass buildup and provide up/down tilt control for more focused listening

Avid Pro Tools | First and Other Included Software

Avid Pro Tools has been an industry standard in studios and homes for decades. Pro Tools | First (available for macOS and Windows operating systems) is easy enough for beginners, yet sophisticated enough for experienced musicians. Get many of the same tools used by your favorite artists and recording studios, collaborate online with anyone, anywhere, and create at the speed of your imagination.

In addition to the powerful plug-ins within Pro Tools | First, this mixer comes with the exclusive Mackie Musician Collection featuring 23 fantastic plug-ins:

Avid 304E EQ: Add musical warmth with a treble and bass equalizer with sweepable mid control

Avid 304C Compressor: Tweak the clarity, balance, and rhythmic feel of music with this optical-modeled compressor

BBD Delay: Create delay, chorus, and vibrato effects based on a classic guitar pedal

Black Op Distortion: Add rich distortion based on a classic distortion pedal

Black Shiny Wah: Achieve the famous classic tones of a respected wah wah pedal

Black Spring Reverb: Get the twang and space of a vintage amplifier

C1 Chorus: Emulates a classic chorus pedal

DC Distortion: Dial up a range of overdriven tones with this Avid custom distortion effect

Eleven Lite: Get the sound of popular guitar amps and speaker cabinets

Flanger: Create esoteric sounds with this homage to vintage and modern flangers

Graphic EQ: Sculpt frequencies with ease

Gray Compressor: Add warmth to tracks based on a vintage Ross compressor

Green JRC Overdrive: Get the coveted sounds of a classic IC overdrive pedal

In-Tune: Keep your instruments in tune with this digital tuner

Orange Phaser: Create interesting effects with this phase shifter based on a classic design

Roto Speaker: Recreate the sounds of a Leslie rotary speaker cabinet

Sci-Fi: Add analog synth-type ring and frequency modulation

Studio Reverb: Create natural-sounding reverb and ambient effects

Tape Echo: Add vintage analog delay and chorus effects

Tri-Knob Fuzz: Get the Hendrix tone with this fuzz box based on one of the first fuzz pedals

Vari-Fi: Create the effect of audio changing tape speed

Vibe Phaser: Add phase-shift and rotary speaker effects

White Boost: Boost gain without coloring tone

Studio Monitor

Monitor Type	Active 2-Way
Enclosure	Bass-Reflex
Power Rating	160 W Peak
Drivers	LF Driver: 1 x 8" / 20.32 cm Polypropylene Cone HF Driver: 1 x 0.75" / 1.91 cm Silk Dome
Amplification	1 x Full-Range Amplifier: Class-D160 W Peak

Performance

Frequency Range	40 Hz to 20 kHz (at -10 dB) 47 Hz to 20 kHz (at -3 dB)
Maximum Sound Pressure Level (SPL)	108 dB
Phase Adjustment	None

Signal Processing

EQ	<i>None</i>
Filters	<i>None</i>
Parametric EQ	<i>None</i>

Crossover

Crossover Frequency	2 kHz
---------------------	-------

Connectivity

Audio I/O	2 x 1/4" TRS Balanced/Unbalanced Female Analog Input 1 x 2RCA Unbalanced Female Analog Input 1 x 1/8" / 3.5 mm TRS Unbalanced Female Analog Input 2 x Push Terminal Unbalanced Female Analog Output 1 x 1/8" / 3.5 mm TRS Unbalanced Female Analog Output
-----------	--

Power

AC Input Power	100 to 240 VAC, 50/60 Hz
Power Consumption	150 W

Environmental

Operating Temperature

32 to 104°F / 0 to 40°C

General

Enclosure Material	MDF
Mounting Points	<i>None</i>
Dimensions (W x H x D)	9.9 x 14.8 x 13.6" / 25.1 x 37.6 x 34.5 cm
Weight	35.2 lb / 16.0 kg

Packaging Info

Package Weight	43.1 lb
Box Dimensions (LxWxH)	25.4 x 19 x 16.8"