

Polk Audio R200 Brown zvučnici za policu/stalak

Šifra: 16104
Kategorija proizvoda: Bookshelf Zvučnici
Proizvođač: Polk audio

Cena: 71.880,00 rsd

Polk Audio R200 Brown zvučnici za policu/stalak

FLAGSHIP SOUND

WHAT BETTER SOUNDS LIKE

Inheriting best-in-class technologies from our flagship Legend series of loudspeakers, the Polk Reserve series helps teach you what better sounds like.

AMAZING SOUND AND ELEGANCE

With understated elegance, the Reserve line has a minimalist design with universal appeal. Inheriting Polk's flagship transducer array, the R200 produces exceptional sound that rivals competitor speakers that sell for twice the price.

SIT RIGHT EVERYWHERE

PINNACLE RING RADIATOR TWEETER

The Pinnacle Ring Radiator Tweeter's distinctive pointed shape guides the dispersion of high frequency sounds around a room. This innovation widens the sweet spot and allows you freedom to enjoy your music and movies wherever you choose to sit.

STRENGTH IN MOTION

TURBINE CONE WOOFER

Our pioneering turbine design delivers a significant increase in cone rigidity without increasing mass. This innovation means the woofer can move with increased accuracy and speed to deliver enhanced sound resolution, enabling you to experience a breathtaking level of detail in your music and movies.

PURITY OF SOUND

X-PORT

Polk's proprietary X-Port eliminates unwanted noise created as air moves in and out of the speaker cabinet port at high-speeds. This ensures a rich and detailed listening experience with tight distortion-free bass and a clean midrange.

FORM AND FUNCTION

EXCEPTIONAL CABINETRY

Reserve's sleek cabinetry hides a world of audio innovation. Cabinets are carefully cross-braced to best eliminate unwanted interior resonances. Rounded exterior corners help disperse sound broadly around the room with minimal diffraction, creating an open sound stage.

HI-RES AUDIO CERTIFIED

Your sound is only as good as your source. With Hi-Res Audio certification, the Polk Reserve R200 bookshelf speaker delivers clear and detailed high-end response. Female vocals are particularly smooth and detailed without coloration. Plus, a minimum support of 40kHz perfectly reproduces the latest Hi-Res Audio files with improved audio extension.

HI-RES CERTIFIED, DOLBY ATMOS ENABLED & IMAX ENHANCED
The Reserve Series sets the benchmark for music and movie audio excellence

HI-RES AUDIO CERTIFIED
Delivers clear and detailed high-end response up to 40Khz for improved high frequency signals for today’s high-quality audio.

DOLBY ATMOS ENABLED
Listening to Atmos and DTS:X-enabled content on Reserve Series speakers brings you deeper into the story or music every time.

IMAX ENHANCED COMPATIBLE
IMAX Enhanced compatibility guarantees an unforgettably huge and dynamic home theater experience when enjoying IMAX Enhanced movies, television shows and music.

Specification

Speaker Type	Standmount
UOM (Sold As)	Pair

TRANSDUCER

Tweeter	1" Pinnacle Ring Radiator
Mid-range/Mid-bass	-

Woofers	6 ½” Turbine Cone
Overall Frequency Response	39Hz - 50kHz
Frequency Response (-3dB limits)	51Hz - 38kHz
Recommended Amplifier Power	30 - 200W
Amplifier Output Compatibility	8Ω / 6Ω / 4Ω
Minimum Impedance (ohms)	3.8Ω
Sensitivity (2.83V/1m)	86dB

CROSSOVER

Tweeter/Mid-range Crossover Frequency	3000
Mid-range/Mid-bass Crossover Frequency	-

MEASUREMENTS

Product Dims W x H x D (Includes width of feet)	190 x 359 x 353.8mm 7.5 x 14.1 x 13.9 in
---	---

Product Weights (each)	19.1 lbs/8.7 kg
-------------------------------	-----------------

Shipping Weight	43.4 lbs/19.7 kg
------------------------	------------------

CABINETRY

New CRC (Mid-Range Enclosure Type)	-
---	---

Mid-Bass / Woofer Enclosure Type	Rear X-Port
---	-------------

Available Finishes	Black / Walnut / White
---------------------------	------------------------

Feet	Rubber pads
-------------	-------------

Wall-Mountable (keyhole slots)	No
---------------------------------------	----

Binding Posts: Nickel-plated 5-Way	Single
---	--------

--	--

Certifications (Non-Safety and Regulatory)

Hi-Res Certified	Yes
-------------------------	-----

IMAX Certified	No
-----------------------	----

Shipping Dims (WxHxD)

533 x 448 x
452mm
(21 x 17.6 x 17.8)
in