lagge not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

HeijeSoundnHDK8pe unknown

#### Heil Sound HDK8

Šifra: 16129

Kategorija prozivoda: Setovi Mikrofona

Proizvođač: Heil Sound

Cena: 203.880,00 rsd

# Heil Sound PR 48 Dynamic Cardioid Kick Drum Microphone

The **PR 48** from **Heil Sound** is a professional-quality dynamic kick drum microphone that provides highly accurate sound reproduction. Designed for a life of professional use, the mic has a large 1.5" dynamic diaphragm sealed in a vulcanized shockmount to minimize handling noise. The capsule has a cardioid pickup pattern to reject off-axis noise. A specially designed low-pass filter provides a 10 dB boost in the 60 to 100 Hz range, which is where the kick drum has the most resonance. The mic has a metal housing with a slanted XLR entrance for easy cable connection.

Highly accurate sound reproduction

Large 1.5" dynamic diaphragm is sealed in a vulcanized shockmount to minimize handling noise

Cardioid pickup pattern rejects off-axis noise, focusing only on the desired sound source

Specially designed low-pass filter provides a 10 dB boost in the 60 to 100 Hz range for ideal resonance

Metal housing with a slanted XLR entrance for easy cable connection

### **Heil Sound PR 28 Dynamic Drum Microphone**

UPC: 885936792812

High SPL capability captures loud sound sources without distortion

### Heil Sound PR 22 Dynamic Cardioid Handheld Microphone (Black)

The black **PR 22 Dynamic Cardioid Handheld Microphone** from **Heil Sound** can be used to mic anything from vocals to snare drums. Heil has developed the patent-pending IsoBand technology, which uses a Sorbothane rubber suspension system in order to eliminate low frequency handling noise. The mic uses a special low-mass NdFeB diaphragm and a large voice coil assembly to provide exceptional performance, including a cardioid pickup pattern with excellent off-axis rejection.

The microphone produces a very linear pattern and reduces proximity effect. It can also be used in extremely high sound pressure applications, and is virtually immune to overload conditions. A leatherette carrying bag, microphone clip, and 3 metal windscreens (black, silver, and gold) are included.

#### **Rugged Construction**

The heavy steel construction, which is assembled and tested in Illinois, allows the mic to withstand the rigors of professional use

#### **IsoBand Technology**

The patent-pending IsoBand technology uses an internal Sorbothane rubber suspension system to eliminate low frequency handling noise

#### **Great Sound**

A low-mass NdFeB diaphragm and large voice coil assembly provide a high level of pattern control, a linear frequency response, and exceptional capability to withstand high SPL levels

#### **Cardioid Pattern**

The cardioid pickup pattern rejects off-axis noise and is perfect for picking up live vocals

#### **Accessories Included**

The mic includes a leatherette carrying bag, a mic clip, and 3 metal windscreens (black, silver, and gold)

### Heil Sound PR 48 Dynamic Cardioid Kick Drum Microphone Specs

Microphone

Primary Applications	Live Sound, Studio Recording
Form Factor	Stand/Boom Mount
Intended Sound Sources	Kick Drum
Sound Field	Mono
Capsule	Dynamic
Diaphragm	1.5" / 38.10 mm (Dynamic)
Polar Pattern	Cardioid
Orientation	End Address
Pad	None
High-Pass Filter	None
Gain Adjustment	None

Indicators	None	
On-Board Controls	None	
Performance		
Frequency Range	30 Hz to 8.5 kHz	
	"	
Maximum SPL	148 dB SPL	
Off-Axis Rejection	40 dB at 180°	
Impedance	600 Ohms	
Output Level	-59 dB	
Connectivity		
Connectivity		
Connectivity Output Connectors (Analog)	<b>1 x</b> XLR 3-Pir	າ (on Mic)
	1 x XLR 3-Pir	ı (on Mic)
Output Connectors (Analog)	"	ı (on Mic)
Output Connectors (Analog)	"	ı (on Mic)
Output Connectors (Analog)	"	n (on Mic)
Output Connectors (Analog)  Headphone Connector	"	n (on Mic)
Output Connectors (Analog)  Headphone Connector  Physical	"	n (on Mic)
Output Connectors (Analog)  Headphone Connector  Physical  Color	None	
Output Connectors (Analog)  Headphone Connector  Physical  Color  Mounting	None	

ackage Weight	1.55 lb
Box Dimensions (LxWxH)	6.7 x 4.5 x 4.3"
leil Sound PR 28 Dynami	ic Drum Microphone Specs
Aicrophone	
Capsule	Dynamic
Polar Pattern	Cardioid
Performance	
	40 Hz to 16 kHz
Frequency Range	40 Hz to 16 kHz 600 Ohms
Frequency Range Impedance	"
Performance Frequency Range Impedance Sensitivity	600 Ohms
Frequency Range Impedance Sensitivity	600 Ohms
Frequency Range Impedance	600 Ohms

#### Packaging Info

Package Weight	0.9 lb
Box Dimensions (LxWxH)	6.8 x 4.4 x 4.4"

## Heil Sound PR 22 Dynamic Cardioid Handheld Microphone (Black) Specs

#### Microphone

Form Factor	Handheld
Sound Field	Mono
Capsule	Dynamic
Diaphragm	1.125" / 28.57 mm
Polar Pattern	Cardioid

#### Performance

Frequency Range	50 Hz to 18 kHz
Impedance	600 Ohms
Sensitivity	-55 dB at 1 kHz

#### Connectivity

Output Connectors (An	nalog)		1 x XLR 3-Pin	
Physical				
Mounting	Mic Clip/Stand Ada	apter (Included)		
Included Case	Zipper Pouch			
Included Filters	None	None		
Dimensions	ø: 1.62 x L: 7.31" /	ø: 1.62 x L: 7.31" / ø: 41.15 x L: 185.67 mm		
Weight	14 oz / 396.9 g			
Packaging Info				
Package Weight		1.9 lb	)	
Box Dimensions (LxWx	kH)	10.4	x 7.1 x 3.9"	