

Heil Sound PR20 SUT

Šifra: 16135

Kategorija proizvoda: Vokalni Mikrofoni

Proizvođač: Heil Sound

Cena: 15.480,00 rsd



Plosives and wind noise are attenuated via the included foam windscreen. An on/off switch allows easy muting between announcements, bands, or sets. The balanced XLR 3-pin output ensures compatibility with most microphone preamps, mixer inputs, portable PA systems, and audio interfaces. A mic clip and carrying bag are also included with the PR 20 SUT.

Cardioid polar pattern exhibits -30 dB of rear rejection at the 180° off-axis point

High 145 dB maximum SPL easily handles loud sound sources

Strong composite (neodymium, iron, and boron) magnet drives the coil

Convenient on/off switch allows easy muting between bands or sets

Supplied windscreen reduces plosives, wind noise, and moisture exposure

Hand-assembled and tested in the United States of America

Heil Sound PR 20 SUT Specs

Microphone

Form Factor	Handheld
Sound Field	Mono
Operating Principle	Pressure Gradient
Capsule	Dynamic
Polar Pattern	Cardioid
Circuitry	Solid-State
Pad	<i>None</i>
High-Pass Filter	<i>None</i>

Performance

Frequency Range	50 Hz to 18 kHz
-----------------	-----------------

Maximum SPL	145 dB SPL
Impedance	600 Ohms
Sensitivity	-55 dB at 1 kHz

Connectivity

Output Connectors (Analog)	1 x XLR 3-Pin
----------------------------	----------------------

Physical

Mounting	Mic Clip/Stand Adapter (Included)
Included Case	Zipper Pouch
Included Filters	<i>None</i>
Dimensions	∅: 1.62 x L: 7.31" / ∅: 41.27 x L: 185.74 mm
Weight	14 oz / 396.9 g

Packaging Info

Package Weight	1.1 lb
Box Dimensions (LxWxH)	11.3 x 5.9 x 2.3"

