

Polk Audio Sig Elite ES20 Black zvučnici za policu/stalak

Šifra: 16439

Kategorija prozivoda: Bookshelf Zvučnici

Proizvođač: Polk audio

Cena: 47.880,00 rsd

enhancing technology. Hi-Res Audio Certified and accessibly priced, Signature Elite ES20 fulfills the Polk promise of great sound for all.

HIGH-RESOLUTION SOUND.

HEAR MORE DETAIL

IN MUSIC AND

MOVIES YOU LOVE

ES20's Hi-Res Audio Certified, Terylene dome tweeter provides crystalline highs (40kHz+) ideal for enjoying high resolution music from services like Apple Music, Tidal, Amazon Music HD, Qobuz and Spotify HiFi, along with the soundtracks of the latest ultra-hd movies.

ENJOY LOUDER LOWS WITH LESS DISTORTION.

EFFORTLESS BASS

Power Port is a Polk-patented design that smoothly transitions the airflow from the speaker's port into the listening area to eliminate turbulence and distortion for louder, deeper, more musical bass and a more open and transparent midrange. When paired with the ES20's beefy 6.5" woofers, that means effortless bass you can feel.

SEAMLESS LIFELIKE SOUNDSTAGE

MAKE YOUR ENTIRE

LISTENING ROOM

THE SWEET SPOT

You'll experience a seamless, lifelike soundstage no matter where you're seated thanks to Signature Elite ES20's Dynamically Balanced acoustic array with phase-optimized, precision crossovers.

READY FOR YOUR AMPLIFIER OR RECEIVER.

FROM VINTAGE HI-FI

TO DOLBY ATMOS &

DTS:X

ES20 delivers spacious, clear, enveloping and realistic sound reproduction from nearly any amplifier or receiver—whether 4- or 8-ohm, vintage audiophile or the latest Dolby Atmos or DTS:X surround sound AVRs.

THOUGHTFULLY DESIGNED AND CONSTRUCTED.

BUILT FOR PURE SOUND

ES20 is designed for you to hear pure sound the way the director, producer or artist intended.

BOOKSHELF SPEAKER

Qty Included	Pair
Width	8.5" (21.59 cm)
Height	14.8" (37.59 cm)
Depth	13.8" (35.05 cm)
Weight	17 lbs (7.71 kg)
Driver Complement	<ul style="list-style-type: none">• (1) 1" (2.54 cm) d (Round) Terylene High-Res Dome Tweeter• (1) 6.5" (16.51 cm) d (Round) Dynamic Balance Mica Reinforced Polypropylene Driver
Driver Enclosure Type	PowerPort Bass Vented
Impedance	Compatible with 4 and 8 ohm outputs
Recommended Amplifier Power Per Channel	20 watts → 150 watts
Sensitivity (1 watt @ 1 meter)	88 dB

Crossover Frequency

2,500 Hz

Total Frequency Response

44 Hz → 40,000 Hz

Inputs

(1) Pair of 5-way
Binding Posts - Gold
Plated

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.