

Polk Audio Sig Elite ES30C Black Centralni zvučnik

Šifra: 16440
Kategorija proizvoda: Centralni Zvučnici
Proizvođač: Polk audio



Cena: 28.680,00 rsd

GREAT SOUND FOR ALL

POWERFUL &
IMMERSIVE HI-RES
AUDIO FOR MOVIES, TV,
MUSIC & GAMES

Enjoy movies, gaming and multichannel music with crystal-clear dialogue and high-resolution, cinematic sound. Polk's high-performance center channel loudspeaker features a Dynamically Balanced acoustic array, precision crossovers and Power Port bass enhancing technology. Hi-Res Audio Certified, Dolby Atmos and DTS:X compatible, and accessibly priced, the ES30 fulfills the Polk promise of great sound for all.

SEAMLESS LIFELIKE SOUNDSTAGE.
MAKE YOUR ENTIRE
HOME THEATER THE
SWEET SPOT

Experience a seamless, lifelike soundstage no matter where you're seated. Signature Elite ES30's Dynamically Balanced, three-driver acoustic array with phase optimized, precision crossovers and timbre-matched components, ensures focused dialogue that blends perfectly with other Signature Elite speakers.

HIGH-RESOLUTION SOUND.
HEAR MORE DETAIL
IN MUSIC AND
MOVIES YOU LOVE

ES30's Hi-Res Audio Certified, Terylene dome tweeter provides crystalline highs (40+kHz) ideal for high-resolution sound found in ultra-HD movies, multi channel concert videos, and spatial audio mixed for Apple Music, Dolby Atmos, or DTS:X.

ENJOY LOUDER LOWS WITH LESS DISTORTION.
EFFORTLESS BASS

The ES30's Polk Power Port pair with two 5.25" Mica-Reinforced Polypropylene Drivers to provide louder, lower, effortless bass, which means you'll hear and feel impactful sound, front and center, the way the director intended.

READY FOR YOUR AMPLIFIER OR RECEIVER.

DOLBY ATMOS AND DTS:X COMPATIBLE

With high sensitivity and 4- and 8-ohm compatibility, the ES30 delivers realistic, powerful and dynamic sound reproduction from nearly any amplifier or receiver— including the latest Dolby Atmos and DTS:X surround sound AVRs.

THOUGHTFULLY DESIGNED AND CONSTRUCTED.

BUILT FOR PURE SOUND

ES30 is designed for you to hear pure sound the way the director, producer or artist intended.

CENTER CHANNEL SPEAKER

Qty Included	1
Width	20" (50.8 cm)
Height	7.5" (19.05 cm)
Depth	10.6" (26.92 cm)
Weight	19 lbs (8.62 kg)
Orientation	Horizontal
Driver Complement	<ul style="list-style-type: none">• (1) 1" (2.54 cm) d (Round) Terylene High-Res Dome Tweeter• (2) 5.25" (13.34 cm) d (Round) Dynamic Balance Mica Reinforced Polypropylene Drivers

Driver Enclosure Type	PowerPort Bass Vented
Impedance	Compatible with 4 and 8 ohm outputs
Recommended Amplifier Power Per Channel	20 watts → 150 watts
Inputs	Single gold-plated 5-way binding posts
Max Sensitivity (1 watt @ 1 meter)	89 dB
Crossover Frequency	2500 Hz
Total Frequency Response	55 Hz → 40,000 Hz