

Polk Audio Sig Elite ES60 White Podnostojeći Zvučnik

Šifra: 16444
Kategorija proizvoda: Podnostojeći Zvučnici
Proizvođač: Polk audio

Cena: 47.880,00 rsd



GREAT SOUND FOR ALL

POWERFUL &
IMMERSIVE HI-RES
AUDIO FOR MOVIES, TV,
MUSIC & GAMES

Enjoy movies, music and gaming with high-resolution, room-filling, cinematic sound. Polk's highest-performing Signature Elite loudspeaker features a Dynamically Balanced acoustic array, precision crossovers and Power Port bass enhancing technology. Hi-Res Audio Certified and accessibly priced, Signature Elite ES60 fulfills the Polk promise of great sound for all.

HIGH-RESOLUTION AUDIO PERFORMANCE.
HEAR MORE DETAIL
IN MUSIC AND
MOVIES YOU LOVE

ES60's Hi-Res Audio Certified, Terylene dome tweeter provides crystalline highs (40kHz+) ideal for enjoying high resolution music from services like Apple Music, Tidal, Amazon Music HD, Qobuz and Spotify HiFi, along with the soundtracks of the latest ultra-hd movies.

SEAMLESS LIFELIKE SOUNDSTAGE.
MAKE YOUR ENTIRE
HOME THEATER THE
SWEET SPOT

You'll experience a seamless, lifelike soundstage no matter where you're seated thanks to Signature Elite ES60's Dynamic Balance mica-fortified, polypropylene woofers and three-way tapered crossover array.

ENJOY LOUDER LOWS WITH LESS DISTORTION.
EFFORTLESS BASS

Power Port is a Polk-patented design that smoothly transitions the airflow from the speaker's port into the listening area to eliminate turbulence and distortion for louder, deeper, more musical bass and a more open and transparent midrange. When paired with the ES60's three 6.5" woofers, that means effortless bass you can feel.

READY FOR YOUR AMPLIFIER OR RECEIVER.

FROM VINTAGE HI-FI

TO DOLBY ATMOS &

DTS:X

ES60 Towers deliver spacious, clear, enveloping and realistic sound reproduction from nearly any amplifier or receiver—whether 4- or 8-ohm, vintage audiophile or the latest Dolby Atmos or DTS:X surround sound AVRs.

THOUGHTFULLY DESIGNED AND CONSTRUCTED.

BUILT FOR PURE SOUND

ES60 is designed for you to hear pure sound the way the director, producer or artist intended.

FLOOR STANDING TOWER SPEAKER

Sensitivity (1 watt @ 1 meter)	90 dB
Crossover Frequency	2,500 Hz
Total Frequency Response	36 Hz → 40,000 Hz
Qty Included	1
Width	8.5" (21.59 cm)
Height	44.5" (113.03 cm)
Depth	15.7" (39.88 cm)
Weight	52 lbs (23.59 kg)
Width with Base	11.7" (29.7 cm)

Front Array Driver Complement	<ul style="list-style-type: none">• (1) 1" (2.54 cm) d (Round) Terylene High-Res Dome Tweeter• (3) 6.5" (16.51 cm) d (Round) Dynamic Balance Mica Reinforced Polypropylene Drivers
Impedance	Compatible with 4 and 8 ohm outputs
Recommended Amplifier Power Per Channel	20 watts → 300 watts
Inputs	Dual gold-plated 5-way binding posts