lagge not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

DEFINITIVE TECHNOLOGY DN8 White Aktivni vufer

Šifra: 16445

Kategorija prozivoda: Hi-Fi Subwooferi Proizvođač: Definitive Technology

Cena: 59.880,00 rsd

ԹեՄՎԽԵՐԻՄԵՐ ΤΕΩΗΝΟΙΙΘΘΎ DN8 White Aktivni vDN8's

unique 3XR Architecture™ means it performs louder and clearer than other 8" subwoofers.

Fits Anywhere Just over one foot wide

Loud & Clear Unique 3XR Architecture

More Bass Like a 10" subwoofer in an 8" sub cabinet

Play Unmute 3XR™ Architecture More Bass from the Same Space

Descend's unique 3XR Architecture provides triple the bass-producing surface area of a traditional ported subwoofer. This extra surface area moves more air, resulting in massive low end. And because 3XR doesn't use ports, it also provides crystal-clear sound with no port noise distortion.

3XR Architecture Powerful Amplification Control & Custom...

Passive Radiators for louder, lower, cleaner bass

As the core technology behind Descend's 3XR Architecure, its passive bass radiators enable the DN8 to play as loud and low as a 10" ported sub without unwanted port noise distortion. Passive radiators also deliver a smooth frequency response like a sealed sub, but with the port-like ability to play louder and lower in a smaller enclosure.

What you get is the best of both worlds: louder, clearer bass than a ported sub from a smaller enclosure than a sealed sub.

3XR Architecture™ for as much bass as a ported 10" subwoofer Learn how it works

Powerful Amplification Maximum Impact

The DN8 is equipped with a 500-watt peak custom Class D digital amplifier, designed to get the most out of the DN8's 3XR Architecture. This custom amplification provides the Descend DN8 enough power and efficiency to play as low as 35Hz from a one-foot wide box.

for immediate impact Because the DN8 Class D amplifier is so efficient, little power is wasted as heat, and its entire output is dedicated to providing significantly smoother bass and greater impact. This allows the DN8 subwoofer to blend naturally into any audio system while producing greater volume and impact than competitive designs.
Control & Customization Plays Well With Others
You can customize the DN8 to the needs of your application, system and space. The DN8 features built-in controls for variable volume, low pass filter and phase $(0/180^{\circ})$ for optimum bass levels and the ability to customize it to the specific needs of your system.
Back Panel Controls for optimized bass levels Manually adjust DN8's variable volume, low pass filter, and phase so it always sounds perfect within your system.
Variable Volume Low Pass Filter Phase
Variable Volume Adjust the volume level of your subwoofer to ensure perfectly proportioned bass for your audio system and your room.
One, two, or four subs for smoother bass throughout the room While a single subwoofer can add bass and enhanced realism to any system, it may not provide consistent frequency response throughout the room.
When two or more subwoofers are properly employed throughout the room, sound waves disperse more evenly, flattening the frequency response. The result is smoother bass throughout the room, helping to eliminate boomy locations or dead spots.
One subwoofer for increased bass performance
Two subwoofers for improved bass impact
Four subwoofers for thunderous bass impact
Colors

Custom Class D Digital Amplification

Transducers

Bass Type
Feet
Dimensions
Performance
Amplifier Type
Peak Power
Continuous (RMS)
Frequency Response (-/+ 3dB)
Low-Pass Crossover Freq

Phase Adjustment	
Power Supply	
Europe (<.5W Compliance)	
Inputs	
LFE	
Speaker	
Controls	
Main Power	
Volume Control	
Low Pass Control	

Phase Control	
Status RGB LED	
Cene su informativnog karaktera. Prodavac ne odgovara za tač Ponudu za ostale artikle, informacije o stanju lagera i aktuelnin virmanski - bezgotovinski.	nost cena iskazanih na sajtu, zadržava pravo izmena cena. n cenama možete dobiti na upit. Plaćanje se isključivo vrši