

## JBL 4305P Black Wireless Studio Monitor Bežični zvučnici

Šifra: 16577

Kategorija proizvoda: Wireless Zvučnici

Proizvođač: JBL

**Cena: 155.880,00 rsd**



### Kontrola bas kontura

Pri postavljanju vaših zvučnika, soba u kojoj će oni raditi najverovatnije će biti vrlo različita u odnosu na okruženje u kojem su zvučnici testirani i razvijani. JBL je pridao pažnju tome, i zbog boljeg tonalnog balansa u vašem prostoru - tu je kontrola kontura basa, za fina podešavanja u bilo kom datom prostoru. Za dodatno uvećanje basa, JBL je dodao mogućnost za output na sabvufer eksternog napajanja.

### Povezivost

**4305P** poseduju primarni i sekundarni zvučnik, sa odabirljivim L & R, za brzo i najjednostavnije uklapanje u vaš setap. Tu je analogni ulaz sa kombinovanim XLR / ¼"-nim TRS Phono konektorima, sa prekidačem za izbor između balansirane i nebalansirane ulazne osetljivosti. **4305P** sadrži još fizičkih opcija konektivnosti, poput asinhronih: USB, optičkog digitalnog inputa i 3.5 mm-skog analognog ulaza. Moguće je i strimovanje via kućni ekosistem, ili putem Bluetooth-a, što kompletira istinsku raznovrsnost izvora.

### Features

\* Active bookshelf speakers \*

**300WPC built-in via a class D amplifier delivering punch and power**

\* A 2410H-2 1-inch compression driver with a High-Definition Imaging horn for crystal-clear highs and life-like dynamic capabilities \*

**A 5.25-inch cast frame, fibre-composite cone woofer operates in a bass-reflex configuration with dual front-firing tuned ports.**

\* The integrated streaming engine provides network audio capabilities via Google Chromecast, Apple AirPlay 2 as well as Bluetooth \*

**Intuitive control using front panel controls on the primary speaker or remote control**

\* Analogue and digital inputs for versatile source options \*

**24-bit/192kHz high-resolution DAC for hi-res audio handling**

\* Real wood veneer finish offers elegant styling \*

Type:

Active 2-way Bookshelf Loudspeaker

Low-frequency driver:

5.25-inch fiber composite woofer

High-frequency driver:

2410H-2 1-inch with Advanced HDI Geometry Horn

Amplifier type:

Class D, 130W Peak (300Wrms total system power)

Inputs:

XLR, 1/4" phono (selectable between balanced and unbalanced), asynchronous USB, optical, 3.5mm jack, ethernet

Outputs:

Subwoofer

DAC:

24-bit/192kHz high-resolution

Accessories included:

2m Digital Link cable, Bluetooth remote control

<b>Type</b>	Compact, Bass-reflex Loudspeaker System with Amplification, DSP, and Wireless Connectivity
<b>Low Frequency Drivers</b>	JW130P-4, 5.25-inch (130mm) Pure-pulp Black Woofers with Cast-frames
<b>High Frequency Drivers</b>	2410H-2, 1-inch (25mm) Annular Ring, Teon Compression Drivers with Advanced HDI™ Ge
<b>Amplifier Power</b>	300W Class D System Power, 150W RMS per per HF Compression Driver + 125W per LF W

<b>Audio Resolution</b>	Up to 24-bit, 192 kHz (Digital Link connection spks), Up to 24-bit, 96 kHz (Wireless connection spks)
<b>Frequency Response</b>	45 Hz - 25 kHz (-6 dB)
<b>Crossover Frequency</b>	1,750 Hz
<b>Dispersion</b>	90° Horizontal x 60° Vertical (2kHz to 20kHz)
<b>Sound Controls</b>	Front Panel- Volume +/- and Source Selection Remote, Boundary Compensation (Flat / -3dB)
<b>Wireless Inputs</b>	WiFi streaming, Bluetooth 5.1
<b>Wired Inputs, Analog</b>	XLR/1/4" Combo and 3.5mm stereo
<b>Wired Inputs, Digital</b>	Asynchronous USB-B and Toslink/Optical
<b>Supported Digital Audio Sample Rates (PCM 2CH)</b>	Streaming & Local Media - 32kHz/44.1kHz/48kHz/88.2kHz/96kHz/176.4kHz SPDIF - Up to 192kHz Bluetooth - Up to 48kHz
<b>Music Formats Supported (Local Media)</b>	AAC / AIFF / ALAC / DSD (to PCM) / FLAC / MP3 WAV / WMA
<b>Subwoofer Output</b>	Autosensing w/ Auto-engage of 80Hz High Pass
<b>Remote Control Type</b>	BTLE Wireless

<b>Bluetooth Audio</b>	Version 5.1
<b>Bluetooth Profiles</b>	SPP (Serial Port Profile), A2DP (Advanced Audio Distribution Profile), AVRCP (Audio/Video Remote Control Profile)
<b>Enclosure</b>	Bass-reflex Design with Dual Front-facing Ports Finished in Satin Walnut or Black Walnut FURNITURE Wood Veneer
<b>Grille</b>	Dark Blue (with Walnut Cabinet) or Black (with Cabinet) Acoustically Transparent Cloth Grille
<b>Net Speaker Dimensions with grille</b>	13.2" H x 8.3" W x 8.8" D (336mm x 210mm)
<b>Net Speaker Weight</b>	Primary - 15.0 lbs (6.8kg), Secondary - 14.1 lbs (6.4kg)
<b>Shipping Units of Measure</b>	System Pairs
<b>Gross Shipping Dimensions</b>	23.5" L x 11.4" W x 18.0" H (597mm x 290mm)
<b>Gross Shipping Weight</b>	36.5 lbs (16.6 kg)
<b>AC Input Voltage</b>	100 - 240 VAC (+/-10%), 50/60Hz