

## ART USB Dual Pre Project Serie - Zvučna kartica

Šifra: 16881

Kategorija prozivoda: USB Zvučne kartice

Proizvođač: ART

**Cena: 15.000,00 rsd**

ART USB Dual Pre Project Serie - Zvučna kartica  
The ART USB Dual Pre Project Serie - Zvučna kartica is a high-quality USB audio interface designed for recording and monitoring. It features a built-in phantom power source and a 9 Volt battery, allowing it to power up to 2 microphones. It includes a 1/8-inch TRS mini headphone jack with level and monitor mix controls, and 1/4-inch TRS balanced outputs for monitoring. It is fully compliant with USB 1.1 and supports Audacity recording software.

Dual Pre is powered via the USB bus. An internal 9 Volt battery, or optional external 12V power supply (or any combination of USB, battery & power supply) can be used depending on application. When running powered by battery alone, you should expect in excess of 50 hours of operation with phantom power off. Battery life will drop to approximately 20 hours (depending on microphone) when phantom powering is engaged (still enough time to get through an average session).

The built-in low noise +48 Volt phantom power supply allows you to power up to 2 microphones as well as the preamplifier when running from any power sources including the USB bus.

For monitoring, an 1/8-inch TRS mini headphone jack with level and monitor mix controls on the rear allow for latency free local monitoring of the inputs while recording as well as playback monitoring of the USB bus. The monitor mix is also routed to the 1/4-inch TRS balanced outputs. This lets you use the 1/4-inch outputs as either preamplifier outputs or as the monitor feed to your powered monitors.

The USB interface is fully compliant with the USB 1.1 specification and uses USB adaptive mode for playback and USB asynchronous mode for record. It will work with the USB audio device drivers built into Windows 98SE/ME/2000/XP/Vista and Apple OS9.1/OSX computers with native USB support. No special drivers are needed.

USB Connectivity to Desktop and Laptop Computers

Low Noise Fully Balanced XLR and 1/4-inch TRS Combi Inputs

Up to 48 dB of Clean Gain and Built-in Low Noise Phantom Power Supply

Latency Free Monitoring Mix and Level Controls

Independent Channel Gain Controls

1/4-inch TRS Balanced Monitor and 1/8-inch Headphone Monitor Outputs

Includes Audacity Recording & Production Software

Flexible 3-way Power from USB, External Supply, or 9 Volt Battery

Includes USB Cable - Everything Needed To Start Recording Today!