

logo not found or type unknown

Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

CHORD Etude 150w Stereo power amplifier Pojačalo Snage

Šifra: 17059
Kategorija proizvoda: Pojačala Snage
Proizvođač: Chord Electronics

Cena: 629.880,00 rsd

functionality, and the brand new topology has even faster power delivery than exiting designs, offering unrivalled dynamics, life-like delivery of transient information, plus effortless control over loudspeaker drive units.

The design for Étude is based upon multi-feedback and dual feed-forward error-correction amplifier technology that intelligently adjusts and compensates the individual linearity of the 250-watt lateral structure high-power proprietary MOSFETs. Internally there are three individual high frequency switch mode power supply units, one for each active power rail and a final for the auxiliary rails. When paired with advanced internal shielding, active cooled plenum chamber design, and custom Chord Electronics MOSFETs, you have Étude, an world class extremely fast crystal clear amplifier.

Although the amplifier is conservatively rated at 150W into 4Ω, if you run Étude in bridged mono mode you can increase this to 300W into 4Ω.

Weight: 3.45kg

CHORD Etude 150w Stereo power amplifier Pojačalo Snage
The multi-

award winning Chord Electronics Choral family of products has never sounded so good. Welcome Étude to the table, a 150w Class AB stereo power amplifier featuring the first fundamentally new topology since Chord Electronics' inception in 1989, using highly advanced technologies seen within the aerospace industry.

The Choral Étude has been designed to both compliment and exploit the full potential of the multi-award winning DAVE DAC, which has preamp

Output Power:	150w RMS per channel @ 0.05% distortion into 4Ω
Frequency Range:	5Hz - 100kHz +/- 0.5dB
Gain:	30dB
Channel Separation:	Better than 95dB

Input Impedance:	100kΩ Unbalanced/Balanced
Input Capacitance:	<30pf
Output Impedance:	0.02Ω
Output Inductance:	2.6μH
Dimensions:	6.7cm (H) 33.5cm (W) 17.5 (D)