lagge not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

## CHORD Etude 150w Stereo power amplifier Pojačalo Snage

Šifra: 17059

Kategorija prozivoda: Pojačala Snage

Proizvođač: Chord Electronics

Cena: 419.880,00 rsd

GHQRD Etude 150w Stereo power amplifier Polačalo S

award winning Chord Electronics Choral family of products has never sounded so good. Welcome Étude to the table, a 150w Class AB stereo power amplifier featuring the first fundamentally new topology since Chord Electronics' inception in 1989, using highly advanced technologies seen within the aerospace industry.

The Choral Étude has been designed to both compliment and exploit the full potential of the multi-award winning DAVE DAC, which has preamp

functionality, and the brand new topology has even faster power delivery than exiting designs, offering unrivalled dynamics, life-like delivery of transient information, plus effortless control over loudspeaker drive units.

The design for Étude is based upon multi-feedback and dual feed-forward error-correction amplifier technology that intelligently adjusts and compensates the individual linearity of the 250-watt lateral structure high-power proprietary MOSFETs. Internally there are three individual high frequency switch mode power supply units, one for each active power rail and a final for the auxiliary rails. When paired with advanced internal shielding, active cooled plenum chamber design, and custom Chord Electronics MOSFETs, you have Étude, an world class extremely fast crystal clear amplifier.

Although the amplifier is conservatively rated at 150W into  $4\Omega$ , if you run Étude in bridged mono mode you can increase this to 300W into  $4\Omega$ .

Weight: 3.45kg

| Output Power:       | 150w RMS per channel @ 0.05% distortion into 4 |
|---------------------|--|
| Frequency Range:    | 5Hz - 100kHz +/- 0.5dB                         |
| Gain:               | 30dB   |
| Channel Separation: | Better than 95dB                               |

| Input Impedance:   | 100kΩ Unbalanced/Balanced     |
|--------------------|-------------------------------|
| Input Capacitance: | <30pf                         |
| Output Impedance:  | 0.02Ω                         |
| Output Inductance: | 2.6μΗ                         |
| Dimensions:        | 6.7cm (H) 33.5cm (W) 17.5 (D) |