Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

audiolab 9000 CD Transport Aluminium Silver



Šifra: 17340
Kategorija prozivoda: CD Plejeri
Proizvođač: Audiolab

Cena: 143.880,00 rsd

Built For Accuracy
Audiolab has designed the 9000CDT to escalate CD playback. Ensuring a smooth experience, a data buffer has been integrated into the optical system to support signal purity. The coaxial output has also been fitted with a differential line driver to achieve a faithful, low-noise signal between accompanying equipment.

Digital Playback
The Audiolab 9000CDT isn’t just for CD playback. A USB-A input can be found on the rear of the unit, allowing you to connect external storage devices for instant, hi-res compatible playback. Enjoy formats including MP3, WMA, AAC and WAV, with file navigation displayed on-screen.

Quality Experience
CD reading is reliable, with a low-friction load tray, high-spin-velocity and read-ahead feature helping to play even partially scratched discs. Sharing the uniform 9000 series design, this CDT features a 4.3” colour information and menu display. The aluminium chassis also combats reverberations leaching into your music.

Key Features
Authentic CD experience
Electronic data buffer promotes accurate playback, with read-ahead feature helping to play damaged discs
Temperature-compensated crystal oscillator controls uniform master clock signal
Output signal strength is bolstered by differential line driver
Reliable playback thanks to high-velocity disc spin, with low-friction tray and aluminium chassis countering operational reverberations
The transport is mounted in an electromagnetically shielded enclosure
USB-A input for audio playback from external storage devices
Compatible with MP3, WAV, AAC and WMA files formats
Track information available on-screen for both CD and USB sources
4.3-inch colour display available for comprehensive menu navigation
12v trigger link for system integration

What’s in the box?
The Audiolab 9000CDT
x1 IEC power cord
x1 Remote control (Requires x2 AAA batteries, not included)

x1 Instruction manual

Dimensions

Product dimensions (W x D x H)	
Packaged dimensions (W x D x H)	
Net weight	
Gross weight	

General

General specifications	
Design and core technologies	
USB storage device audio format	
USB storage device file system	
Digital output amplitude	

Output impedance

Frequency response

Total harmonic distortion (THD)

Sampling rate

Digital outputs

Standby power consumption

Power requirements (according to region)

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.