

logo not found or type unknown

Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

Zoom F2 - Terenski Snimač Sa Lavailer Mikrofonom

Šifra: 17472
Kategorija proizvoda: Snimači/Rekorderi
Proizvođač: ZOOM

Cena: 20.200,00 rsd

Zoom F2 - Terenski Snimač Sa Lavailer Mikrofonom
Version - Black (without Bluetooth)

Light and compact audio recorder

32-Bit Float recording for full dynamic range and clip free recording

No gain adjustment necessary

Records 44.1kHz/32-bit float or 48kHz/32-bit float audio files

Rec Hold function to avoid accidental operation of buttons

1/8" Mic In mini phone jack with Plug-in power (2.5V)

Stereo 1/8" Phone/Line Output jack with dedicated volume control

80 Hz low cut filter

High precision internal clock to avoid audio and video syncing issues

Wireless timecode synchronization (F2-BT model only)*

Records directly to micro SD and SDHC cards up to 512 GB

USB-C for connection to F2 Editor for settings

Built-in Bluetooth for connection to the F2 Control app for settings adjustment and remote transport control (F2-BT model only)

Runs on only 2 standard AAA alkaline, Lithium, or NiMH rechargeable batteries, or AC adapter (AD-17)

Up to 15 hours of operation (14 hours on the F2-BT) with two AAA alkaline batteries

*F2-BT connection to UltraSync BLUE device by Timecode Systems is required.

Low-Profile Lapel Mic with Locking Connector

Attach the included lavalier microphone to your subject with the supplied mic clip, then connect its 3.5mm plug-equipped cable to the input of the F2; the locking connection inhibits unintended disconnects. The microphone's omnidirectional polar pattern delivers consistent audio pickup from all directions, yielding dependable voice capture even as the subject turns their head or the microphone changes position. Also, three windscreens are supplied for easy reduction of light wind noise.

Automatic Distortion-Free Audio

The F2 utilizes 32-bit float recording technology to capture intensely loud signals without overloading the A/D converters and bring in extremely quiet sounds without overwhelming noise, all without requiring any gain adjustment from you. Record with confidence knowing that you can just connect the microphone and start recording to attain crisp, clear dialog.

High-Quality Recording Settings

The F2 boasts two high-quality recording resolutions to choose from—32-bit / 44.1 kHz or 32-bit / 48 kHz, both in mono uncompressed BWF (Broadcast Wave File) format. No data compression means that no quality is lost in the creation of the audio files. Use the onboard 80 Hz low-cut filter to reduce rumble and bass buildup in your recordings.

Record Direct to microSD Cards

Maximize portability by recording directly to a microSD/microSDHC/microSDXC card (available separately) for up to 512GB of storage space.

Mic Input with Plug-In Power

The F2 can accommodate mic-level signals via its locking 3.5mm mini-jack input. Since it supplies 2.5V plug-in power, you're free to use common condenser mics such as lavaliers, headsets, and earsets.

Headphone/Line Output with Volume Control

A locking 3.5mm stereo output jack with dedicated volume up/down buttons enables straightforward routing to your camera, DSLR, secondary recorder, or even headphones for easy monitoring.

Power for Hours

To keep up with the pace of on-location production, the F2 can be powered via two AAA alkaline, Lithium, or NiMH rechargeable batteries, a Zoom AD-17 power adapter (available separately), or a USB Type-C battery pack (available separately). With up to 15 hours of run time on AAA batteries, all-day shoots are no problem for the F2.

USB File Transfers and Settings Editor

The F2 Editor lets you adjust settings, format SD cards, and more from your Mac or Windows computer. Since the F2 has a USB Type-C port, simply connect it to your computer via a USB cable (available separately) and launch the editor. The USB connection also makes it easy to transfer files to your computer.

Intuitive Controls and LED Indication

Intuitive one-touch buttons—record, play, stop, and volume up/down— provide fast, hassle-free operations with no menus to wade through. LEDs are provided for clear indication of audio level, battery status, and power.

Hold Function Inhibits Accidental Interruptions

Flip the power switch down to the Hold position to engage the Hold function, which prevents interruptions to the recording caused by accidental button presses.

Accurate Clocking

The F2 is equipped with a high-precision internal clock ($\pm 3\text{ppm}$) to avoid audio and video syncing issues.

Low Profile and Lightweight

With its minimalist profile, the lightweight F2 attaches neatly on belts and waistbands, or can be slipped into a pocket so the recorder can be easily concealed.