

## Definitive Technology UEKA InWall RSS III

Šifra: 17610  
Kategorija proizvoda: HI-FI Ugradni Zvučnici  
Proizvođač: Definitive Technology

**Cena: 15.480,00 rsd**

### Definitive Technology UEKA InWall RSS III

Featuring two aluminum dome tweeters, a pair of 3.5" cast-basket drivers and two 3.5" pressure-coupled Low Bass Radiators, the UIW RSS III produces a uniquely immersive experience that completely envelops listeners in an expansive, 360-degree soundstage.

### **Bipolar Technology for a theater-like presentation**

Employing Definitive Technology's fabled Bipolar driver architecture, UIW RSS Bipolar in-wall/ in-ceiling loudspeakers fill the room with a perfect combination of direct and reflected sound for stunning surround effects.

### **Flagship Definitive Technology Drivers for reference loudspeaker performance**

Ultimate In-Wall Reference Series loudspeakers are designed with the same driver technologies as our flagship floorstanding speakers to deliver an ultra-realistic theater experience that's all in the family.

### **Dual 1" Pure Aluminum Tweeters**

The RSSIII aluminum dome tweeters deliver a clear, precise high frequency response. Their ultralight, rigid construction enables them to play significantly higher frequencies than we can hear, providing effortless, distortion-free highs within and beyond the audible range.

### **Rotating Arrays for optimal directivity**

When RSSIII Bipolar speakers are installed in the ceiling, the driver arrays can be rotated 90° to optimize performance for your listening area.

## Fully Enclosed for powerful sound where you want it

UIW Reference Series loudspeakers are fully enclosed and sealed with dense, acoustically inert, anti-resonant, anti-vibration Medite® wood. With the RSSIII, you'll hear loud, accurate, uncolored midrange and tight, powerful bass with no buzzing or sound leakage into walls and ceilings.

### Overall

Total Pieces	1
Included Accessories	<ul style="list-style-type: none"><li>• (1) Wall Mounting Template</li><li>• (1) Paint Mask</li><li>• (1) Paintable Grille</li><li>• (1) Self Adhering Foam Gasket</li></ul>
Cabinet Warranty	5 years
Drivers Warranty	5 years
Carton 1	13.5" (34.29 cm) h x 13.5" (34.29 cm) w x 7.25" (18.42 cm) d - 9 lbs (4.08 kg)

### IN-WALL SPEAKER

Qty Included	1
Availability	US
Driver Complement	<ul style="list-style-type: none"><li>• (2) 1" (2.54 cm) d (Round) - Tweeter</li><li>• (2) 3.5" (8.89 cm) d (Round) - Mid/Woofer</li><li>• (2) 3.5" (8.89 cm) d (Round) - Bass Radiator</li></ul>

Grille Dimensions	11" (27.94 cm) h x 9.44" (23.98 cm) w
Shape	Rectangle
Dimensions	9.88" (25.1 cm) h x 8.31" (21.11 cm) w
Shape	Rectangle
Dimensions	9.88" (25.1 cm) h x 8.31" (21.11 cm) w
Audio Inputs	
Speaker Inputs	(1) Pair of Heavy Duty, Spring Loaded
Total Frequency Response	40 Hz → 30,000 Hz
Nominal Impedance Range	8 ohms → 4 ohms
Max Sensitivity (1 watt @ 1 meter)	92 dB
A/V Receiver Crossover Settings	Small (120 Hz)
Recommended Amplifier Power Per Channel	10 watts → 300 watts

