

Audeze LCD-GX Black Magnesium - Slušalice sa mikrofonom

Šifra: 17800

Kategorija prozivoda: Headsets i Gaming

Proizvođač: AUDEZE

Cena: 131.880,00 rsd

Audeze LCD-GX Black Magnesium - Slušalice sa mikrofonom

Audeze's Reference Planar Magnetic Sound Quality

Based on the rave-reviewed LCD series, the LCD-GX combines Audeze's patented Fluxor™ magnets and ultra-thin Uniforce™ diaphragms to deliver astonishing sound quality and immersion. Our advanced LCD Planar Magnetic drivers are at least twice the size of those found in other gaming headphones, providing better bass, superior soundstage, and outstanding resolution suitable not

just for gaming, but for monitoring, mixing, and editing audio. Designed for the serious gamer, the LCD-GX is strictly analog – no digital processing – just for the real purist who wants the best possible sound. Being an open-back design, the GX has a wider, more accurate soundstage.

Comfort

The LCD-GX is handcrafted in Audeze's California factory and features magnesium housing, open-cell foam ear pads, and a suspension headband designed to reduce weight and extend comfort for marathon gaming sessions.

Performance

A new single-sided Fluxor™ magnetic structure provides high sensitivity and low distortion (100 dB /1 mW @ 1kHz), allowing the LCD-GX to work with a wide variety of devices. To get the best output from the headphones, we suggest pairing them with a good amplifier and DAC.

Microphone

The LCD-GX includes a detachable cable with a built-in directional, noise-attenuating boom microphone. The thoughtfully designed microphone cable includes a mute button and flexible gooseneck arm, allowing customized positioning to ensure each individual can find the angle that works best for them.

Compatibility

The LCD-GX comes with 2 exchangeable cables – The boom mic cable, and a standard LCD series cable (for those who don't always need the boom mic). The boom mic cable terminates with a 1/8" TRRS 4 conductor plug for use with virtually all PCs, Macs, cellphones, etc. We also include a dual 1/8" inch splitter for separate headphone and microphone inputs.

LCD-GX Includes

Audeze LCD-GX Headphone
Standard LCD travel case
8ft long cable with Microphone (1/8" TRRS connector)
Braided LCD cable without Microphone (1/4" TRS connector)
Audio adaptor - OMTP to CTIA (Reverses the mic and ground connection)
Splitter (1/8" TRRS to dual 1/8" TRS connectors for audio and microphone

Specifications

Style

Over-ear, open-back

Transducer type

Planar Magnetic

Magnetic structure

Single Fluxor™ magnet array

Phase management

Non-Fazor

Magnet type

Neodymium N50

Diaphragm type

Ultra-thin Uniforce™

Specifications

Transducer size	106 mm
Maximum power handling	5W RMS
Maximum SPL	>130dB
Frequency response	10Hz - 50kHz
THD	<0.1% @ 100dB
Impedance	20 ohms

Specifications

Sensitivity	100 dB/1mW (at Drum Reference Point)
Minimum power requirement	>100mW
Recommended power level	>250mW
Weight	454g

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.