

KEF LSX II LT STONE WHITE - Bežični zvučnici

Šifra: 18518
Kategorija proizvoda: Wireless Zvučnici
Proizvođač: KEF

Cena: 107.880,00 rsd

KEF LSX II LT STONE WHITE - Bežični zvučnici **All the**

music

The W2 wireless platform in LSX II LT makes music streaming effortless and guarantees pristine sound quality.

Plug and play

LSX II LT supports HDMI ARC and USB-C inputs, making it the perfect companion for TV, desktop and more.

Effortless multiroom

When partnered with other speakers from the LS Wireless Collection, you can use AirPlay 2 or Chromecast to fill the entire house with the same playlist.

Minimal design, versatile placement

The LSX II LT features a minimal design that effortlessly blends with any home decor and also offers versatile placement options. You can place the speakers on a bookshelf or desktop with dedicated accessories.

WIRELESS STREAMING FEATURES

Chromecast built-in
UPnP Compatible
Bluetooth 5.0

SUPPORTED FORMAT (NETWORK)

DSD, FLAC, WAV, AIFF, ALAC, AAC, WMA, MP3, M4A, LPCM and Ogg Vorbis

INPUTS

HDMI ARC
USB Type C
TOSLINK Optical

SYSTEM CONFIGURATION

Primary active
Secondary passive (powered from primary speaker)

INTERSPEAKER CONNECTION

Wired interspeaker connection with USB-C*

What is in the box

A set of LSX II LT
Power cord
Interspeaker cable (3m)
Remote control
Quick Start Guide
Warranty and safety information

Drive Units (per speaker)	Uni-Q driver array
	HF: 19mm (0.75in.) aluminium dome
	LF/MF: 115mm (4.5in.) magnesium/aluminium alloy cone
Frequency Range (-6dB)	49Hz - 47kHz
<i>Depends on EQ settings</i>	
Frequency Response (± 3dB)	54Hz - 28kHz
<i>Depends on EQ settings</i>	
Amplifier Output Power (per speaker)	LF: 70W, HF: 30W
Amplifier Class (per speaker)	LF: Class D, HF: Class D
Max SPL measured at 1m	102 dB
Wireless Streaming Features	AirPlay 2, Google Chromecast, Chromecast Built-in, UPnP Compatible, Bluetooth 5.0
Streaming Services	Spotify via Spotify Connect, Tidal via Tidal Connect, Amazon Music, Qobuz, Deezer, QQ Music via QPlay, Internet Radio, Podcast
<i>Depends on services availability in different countries</i>	
Source Resolution	Network up to 384kHz/24bit, Optical up to 96kHz/24bit, USB Type C up to 96kHz/24bit, HDMI up to 48kHz/16bit
<i>Depends on source resolution</i>	
Interspeaker Connection	Wired: all sources resampled to 96kHz/24bit PCM
Supported Formats (Network)	DSD, FLAC, WAV, AIFF, ALAC, AAC, WMA, MP3, M4A, LPCM, Ogg Vorbis
Dimensions (HxWxD per speaker)	240 × 155 × 180 mm (9.5 × 6.1 × 7.1 in.)
Weight (per set)	6.8kg (15.0lbs)
Power Input	100 - 240VAC 50/60Hz
Power Consumption	200W (operating power), <2.0W (standby power)

Inputs	HDMI ARC, TOSLINK Optical, USB Type C, RJ45 Ethernet (network), USB Type C (interspeaker)
Output	RCA Subwoofer output
Wi-Fi Network Standard	IEEE 802.11a/b/g/n/ac, IPv4, IPv6
Wi-Fi Network Frequency Band	Dual-band 2.4 GHz / 5 GHz
Secondary Speaker Inputs	USB Type C (interspeaker)