

KEF LSX II LT STONE WHITE - Bežični zvučnici

Šifra: 18518
Kategorija proizvoda: Wireless Zvučnici
Proizvođač: KEF

Cena: 107.880,00 rsd



All the music

The W2 wireless platform in LSX II LT makes music streaming effortless and guarantees pristine sound quality.

Plug and play

LSX II LT supports HDMI ARC and USB-C inputs, making it the perfect companion for TV, desktop and more.

Effortless multiroom

When partnered with other speakers from the LS Wireless Collection, you can use AirPlay 2 or Chromecast to fill the entire house with the same playlist.

Minimal design, versatile placement

The LSX II LT features a minimal design that effortlessly blends with any home decor and also offers versatile placement options. You can place the speakers on a bookshelf or desktop with dedicated accessories.

WIRELESS STREAMING FEATURES

Chromecast built-in
UPnP Compatible
Bluetooth 5.0

SUPPORTED FORMAT (NETWORK)

DSD, FLAC, WAV, AIFF, ALAC, AAC,
WMA, MP3, M4A, LPCM and Ogg Vorbis

INPUTS

HDMI ARC
USB Type C
TOSLINK Optical

SYSTEM CONFIGURATION

Primary active
Secondary passive (powered from primary speaker)

INTERSPEAKER CONNECTION

Wired interspeaker connection with USB-C*

What is in the box

A set of LSX II LT

Power cord

Interspeaker cable (3m)

Remote control

Quick Start Guide

Warranty and safety information

Drive Units (per speaker)	Uni-Q driver array
	HF: 19mm (0.75in.) aluminium dome
	LF/MF: 115mm (4.5in.) magnesium/aluminium alloy cone
Frequency Range (-6dB)	49Hz - 47kHz
<i>Depends on EQ settings</i>	
Frequency Response (± 3dB)	54Hz - 28kHz
<i>Depends on EQ settings</i>	
Amplifier Output Power (per speaker)	LF: 70W, HF: 30W
Amplifier Class (per speaker)	LF: Class D, HF: Class D
Max SPL measured at 1m	102 dB
Wireless Streaming Features	AirPlay 2, Google Chromecast, Chromecast Built-in, UPnP Compatible, Bluetooth 5.0
Streaming Services	Spotify via Spotify Connect, Tidal via Tidal Connect, Amazon Music, Qobuz, Deezer, QQ Music via QPlay, Internet Radio, Podcast
<i>Depends on services availability in different countries</i>	
Source Resolution	Network up to 384kHz/24bit, Optical up to 96kHz/24bit, USB Type C up to 96kHz/24bit, HDMI up to 48kHz/16bit
<i>Depends on source resolution</i>	
Interspeaker Connection	Wired: all sources resampled to 96kHz/24bit PCM
Supported Formats (Network)	DSD, FLAC, WAV, AIFF, ALAC, AAC, WMA, MP3, M4A, LPCM, Ogg Vorbis

Dimensions (HxWxD per speaker)	240 × 155 × 180 mm (9.5 × 6.1 × 7.1 in.)
Weight (per set)	6.8kg (15.0lbs)
Power Input	100 - 240VAC 50/60Hz
Power Consumption	200W (operating power), <2.0W (standby power)
Inputs	HDMI ARC, TOSLINK Optical, USB Type C, RJ45 Ethernet (network), USB Type C (interspeaker)
Output	RCA Subwoofer output
Wi-Fi Network Standard	IEEE 802.11a/b/g/n/ac, IPv4, IPv6
Wi-Fi Network Frequency Band	Dual-band 2.4 GHz / 5 GHz
Secondary Speaker Inputs	USB Type C (interspeaker)