

## Mackie DLM12

Šifra: 18529  
Kategorija proizvoda: Aktivne Zvučne Kutije  
Proizvođač: MACKIE

**Cena: 119.880,00 rsd**



Class D 1,000W RMS Powered Speaker

2,000W Peak Power

Generates up to 128dB SPL

Integrated DL2 Digital Mixer

Two Flexible Input Channels

DSP Effects, EQ and Audio Tools

Common-Magnet Design

Unpowered Audio Thru Output

### PA Speaker

Configuration	Active 2-Way
Total Power Capacity	1000 W RMS 2000 W Peak

Amplifier Power Rating

**LF:**  
500 W RMS  
1000 W Peak  
**HF:**  
500 W RMS  
1000 W Peak

Amplifier Class

Class-D

## Drivers

HF Driver

1 x 1.75" / 44 mm Polyimide Compression Driver with 1" / 25 mm Throat

LF Driver

1x 12" / 305 mm Woofer

LF Voice Coil

2.5" / 64 mm

Magnet

**HF:**  
Ferrite  
**LF:**  
Ferrite

## Performance

Frequency Response

38 Hz to 20 kHz -10 dB

Maximum SPL

128 dB

Coverage Angle	90° H x 90° V
I/O Impedance	<b>Mic Input:</b> 3.3 Kilohms (Balanced) <b>Line Input:</b> 20 Kilohms (Balanced) 10 Kilohms (Unbalanced) <b>1/4" Input:</b> 16 Kilohms (Balanced) 8 Kilohms (Unbalanced) <b>XLR Line Input:</b> 20 Kilohms (Balanced) 10 Kilohms (Unbalanced) <b>Hi-Z Input:</b> 1 Megohms (Unbalanced) <b>RCA Input:</b> 25 Kilohms (Unbalanced)
Total Harmonic Distortion/Noise	< 1%

## Connectivity

Audio I/O	1x Combo XLR-1/4" TRS Mic/Line Input 1x Combo XLR-1/4" TRS Mic Input 1x Stereo RCA Input 1x XLR 3-Pin Thru/Output
-----------	--

## Signal Processing

Crossover	1.6 kHz
-----------	---------

EQ

**LF Shelf:**  
±15 dB at 80 Hz  
**MF Notch/Peak:**  
±15 dB at 2.5 kHz  
**HF Shelf:**  
±15 dB at 12 kHz

Alignment Delay

0 to 300 ms

## Power

AC Input Power

100 to 120 VAC, 50 / 60 Hz  
220 to 240 VAC, 50 / 60 Hz

AC Power I/O

1x IEC

Power Consumption

250 W

## Physical

Mounting

1 x Pole Socket  
3 x M10

Handles

1x Top

Cooling

Fan (Variable Speed)

Construction Material	ABS, Metal Grille
Operating Temperature	32 to 104°F / 0 to 40°C
Dimensions	15.9 x 15.3 x 14.3" / 403 x 389 x 363 mm
Weight	31 lb / 14.1 kg

### Packaging Info

Package Weight	37 lb
Box Dimensions (LxWxH)	20 x 20 x 19.5"