


Mackie DRM-315

Šifra: 18532
Kategorija proizvoda: Aktivne Zvučne Kutije
Proizvođač: MACKIE

Cena: 143.880,00 rsd



For Medium- to Large-Sized Venues
15" LF, 6.5" MF, and 1.4" HF Drivers
2300W Class-D Amplifier
Frequency Response: 35 Hz to 20 kHz
Peak SPL: 137 dB
Integrated Advanced Impulse DSP Module
User-Adjustable DRM Control Dashboard
Dual Independent Mic/Line/Inst Inputs
Stack, Stand/Pole Mount, Horiz/Vert Fly
Tour-Grade Enclosure with Steel Grille

PA Speaker

| | |
|----------------------|--------------|
| Configuration | Active 3-Way |
| Total Power Capacity | 2300 W Peak |
| Amplifier Class | Class-D |

Drivers

| | |
|-----------|-------------------------|
| HF Driver | 1 x 1.4" / 35.6 mm |
| MF Driver | 1x 6.5" / 165.1 mm |
| LF Driver | 1x 15" / 38.1 cm Woofer |

Performance

| | |
|--------------------|--------------------------------|
| Frequency Response | 35 Hz to 20 kHz -10 dB |
| Maximum SPL | 137 dB |
| Coverage Angle | 90° H x 50° V (Rotatable Horn) |

Connectivity

| | |
|-----------|--|
| Audio I/O | 2x Combo XLR-1/4" TRS Mic/Line Input 1x 1/8" / 3.5 mm TRS Aux Input |
|-----------|--|

Signal Processing

| | |
|-----------------|-----|
| EQ | Yes |
| Alignment Delay | Yes |

Power

| | |
|----------------|---|
| AC Input Power | Universal: 100 to 240 VAC, 50 / 60 Hz |
|----------------|---|

Physical

| | |
|-----------------------|--|
| Mounting | 12 x M10 Pole Socket (Dual Angle) |
| Construction Material | Metal Grille, Plywood |
| Dimensions | 36.5 x 19 x 18" / 927.1 x 482.6 x 457.2 mm |
| Weight | 68.3 lb / 31 kg |

Packaging Info

| | |
|------------------------|-----------------|
| Package Weight | 79.35 lb |
| Box Dimensions (LxWxH) | 39 x 22.5 x 22" |