

ONKYO TX-NR6100

Šifra: 18838

Kategorija proizvoda: AV Pojačala i Risiveri

Proizvođač: Onkyo

Cena: 95.880,00 rsd



THX Certified

In 1993, Onkyo became the first consumer electronics brand to be THX-certified. With literally thousands of tests, before earning the THX-certification logo: no matter what input is used, no matter what combination of the many built-in features for the AVR, preamplifier, or amplifier, there can be absolutely nothing added, nothing taken away from the source material. The TX-NR7100 offers four distinct THX listening modes: cinema, gaming, music, and surround EX.

Discrete Zone 2 HDMI Switching

Set up different Ultra High-Definition entertainment options with up to 8K60 resolution* in two different rooms from your Onkyo receiver. Watch a movie in the home theater, while the kids watch cartoons in their playroom.*

*8K60 only valid for Zone 1/Zone 2 will only produce 4K120 resolution when two separate HDMI sources are used.

Ultimate 4K Gaming Experience

Own your opponents with HDMI 2.1 enhancements for gamers: 4K/120Hz HDR pass-through enables ultra-fast motion -VRR (Variable Refresh Rate) eliminates lag, stutter, and frame-tearing for fluid gameplay. - ALLM (Auto Low Latency Mode) optimizes latency from source to screen - QFT (Quick Frame Transport) limits lag for a smoother experience.

Built-In Streaming Services

Access to Spotify®, TIDAL, Deezer, TunesIn, and Pandora® are built into the system. Use dedicated apps (where available) or the free Onkyo Control App for Apple and Android devices to find and play music.

Additional Features

SMART HOME COMPATIBLE WITH VOICE CONTROL

Onkyo receivers easily integrate into your existing Smart Home ecosystem, including Apple Airplay, Alexa, Google apps, and more. You get a highly capable and compatible network device that can operate seamlessly in your multi-room ecosystem.*

*Requires third-party AI compatible smart home device with microphone

WORKS WITH SONOS CERTIFIED

This receiver can join your existing Sonos Home Sound System, or be the start of a new one, just by pairing it with a Sonos Port.* This works with Sonos Certified AVR offers a best-in-class tie-in to the Sonos ecosystem, waking, changing inputs, and playing at the volume you want using the Sonos Volume-Pass Through feature from the Sonos app.

*Sonos Port required and sold separately

BI-DIRECTIONAL BLUETOOTH WIRELESS TECHNOLOGY

This Onkyo AVR can send and receive audio via Bluetooth wireless technology. Stream from your device to the receiver using SBC or AAC codecs, or transmit audio playing through the AVR to compatible wireless headphones using SBC, aptX™, or aptX HD codecs including 24-bit audio over aptX HD. The improved data transfer capabilities of the latest generation of Bluetooth ensure clear and reliable sound reproduction so you hear your favorite songs just as the recording engineer intended.

SPECIFICATIONS

Amplifier Section	<p>Power output (All channels) 210 W/Ch (6 ohms, 1 kHz, 10% THD, 1-ch driven) 100 W/Ch (8 ohms, 20 Hz–20 kHz, 0.08% THD, 2-ch driven, FTC) Dynamic power 240 W (3 ohms, Front) 210 W (4 ohms, Front) 120 W (8 ohms, Front)</p>
THD+N (Total Harmonic Distortion + Noise)	0.08% (20 Hz–20 kHz, half power)
Input sensitivity and impedance	<p>200 mV rms/47 k-ohms (Line) 3.5 mV rms/47 k-ohms (Phono MM)</p>
Rated RCA output level and impedance	<p>1 V rms/470 ohms (Subwoofer pre-out) 200 mV rms/2.2 k-ohms (Zone 2/Zone B line-out)</p>
Frequency response	10 Hz–100 kHz/+1 dB, -3 dB (Direct/Pure Audio)
Tone control	<p>±10 dB, 20 Hz (Bass) ±10 dB, 20 kHz (Treble)</p>
Signal-to-noise ratio	<p>106 dB (Line, IHF-A) 80 dB (Phono, IHF-A)</p>
Speaker impedance	4–16 ohms
Tuner Section Tuning frequency range	<p>FM 87.5 MHz–107.9 MHz AM 530 kHz–1,710 kHz FM/AM preset memory 40 stations</p>
General Power supply	AC 120 V~, 60 Hz
Power consumption (operating)	635 W
Power consumption (idle)	65 W
Power consumption (standby)	0.1 W
Dimensions	(W x H x D) 17 1/8" x 6 13/16" x 14 15/16" (435 x 173.5 x 379.5 mm)
Weight	21.6 lbs. (9.8 kg)
CARTON Dimensions	(W x H x D) 21" x 10 7/16" x 18 7/16" (534 x 265 x 468 mm)
Weight	27.6 lbs. (12.5 kg)

