

ZOOM Q2n-4k - Ručni video snimač

ZOOM Q2n-4k - Ručni video snimač

FEAT

Šifra: 14950

Kategorija proizvoda: Snimači/Rekorderi

Proizvođač: ZOOM

Cena: 26.280,00 rsd

High-quality 150° wide-angle lens (f2.8/15.2 mm)

12 'Scene' options for use in different lighting environments, including 'Auto' setting that intelligently adapts to your environment

Built-in X/Y stereo microphones capable of handling sound levels up to 120 dB SPL

Can be used as standalone audio recorder with data saved in WAV format up to 24-bit/96 kHz

5 field of view (FOV) settings

Records directly to microSD, microSDHC and microSDXC cards up to 256 GB for extended recording times

Easy one-button recording

Color LCD

Support for three HD video modes: 720p, 1080p and 4K

Video bitrates up to 76 Mbps for improved image quality

Frame rates: 4K/30fps, 4K/25fps, 4K/24fps, 1080p/60fps, 1080p/50fps, 1080p/30fps, 1080p/25fps, 1080p/24fps, 720p/30fps, 720p/25fps

HDMI video output for connection to HDTVs, selectable between NTSC and PAL

Records video (with audio) in MOV format

Analog-style level control with onscreen digital metering

Auto Gain function gives automatic control over audio input level

Stereo input for use with external devices plus support for plug-in power

Headphone/line-level output for fast audio monitoring

Low-cut filter for the elimination of low-frequency noise and rumble

USB interface for live streaming and data transfer

Compatible with OBS Open Broadcaster Software, Skype and other popular streaming applications

USB mic function (with low-latency direct monitoring) when used with computers and iOS devices (Apple Camera Connection Kit or Lightning to USB Camera Adapter required for use with iOS devices)

Operates with two AA batteries

SPECS

IMAGE SENSOR:	1/2.3" 16 M-flexible CMOS sensor
LENS:	F 2.8, 150° FOV
VIDEO FORMAT:	MPEG-4 AVC/H.264 (MOV)
VIDEO RESOLUTIONS:	4K: 30 p, 25 p, 24 p 1080: 60 p, 50 p, 30 p, 25 p, 24 p 720: 30 p, 25 p
AUDIO FORMATS:	WAV: 96 kHz/24-bit, 48 kHz/24-bit, 44.1 kHz/16-bit
AUDIO FUNCTIONS:	<ul style="list-style-type: none"> • LO-CUT: Off, 80 Hz, 120 Hz, 160 Hz • AUTO GAIN: OFF, CONCERT, SOLO, MEETING • DELAY: 0.0 F, 0.5 F-10.0 F (only during web camera use) • DIRECT MONITOR ON/OFF (only during USB mic use)
IMAGE FUNCTIONS:	FOV (5 steps): WIDE-0-TELE SCENE Settings • AUTO • OUTDOOR • SUNSET • NIGHT • CONCERT LIGHT • JAZZ CLUB, • DANCE CLUB • MONOCHROME • SEPIA • FILM • X-PROCESS • FLAT
DISPLAY:	1.77" four-color LCD (160 × 128)
AUDIO INPUTS:	Mic Fixed 120° XY stereo mic Maximum sound pressure: 120 dB SPL Input gain: $-\infty$ db - +39 dB Line Input connector: stereo mini jack (supports plug-in power) Input gain: $-\infty$ db - +39 dB 2 k Ω or higher input impedance Plug-in power (2.5 V) supported
OUTPUT CONNECTOR:	Combined headphone/line stereo mini jack HDMI micro Type D
BUILT-IN SPEAKER:	300 mW 8 Ω mono speaker
RECORDING MEDIA:	microSDHC/microSDXC (class 10 or higher, 256 GB maximum)
USB:	micro USB WEBCAM Class: UVC 1.0 + UAC 1.0 Formats: 720 p WVGA video 48 kHz/16-bit audio CARD READER Class: USB Mass Storage USB MIC Class: UAC 1.0 Format: 44.1 kHz/16-bit Note: card reader and USB mic functions support iOS devices
POWER:	2 AA batteries : alkaline LR6 (1.5 V), nickel metal hydride HR6 (1.2 V) or lithium FR6 (1.5 V) AC adapter (ZOOM AD-17): DC 5 V/1 A Note: USB bus power supported

EXTERNAL DIMENSIONS:	Main unit (maximum dimensions): 58.7 mm (D) × 68.5 mm (W) × 83.0 mm (H)
WEIGHT (MAIN UNIT ONLY):	124 g