Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

Zoom H5studio - Snimač



Šifra: 20426
Kategorija prozivoda: Snimači/Rekorderi
Proizvođač: ZOOM

Cena: 47.880,00 rsd

Features
• Large-diameter XY stereo microphone capsule (19.4 mm)
• Dual AD converter + 32-bit float support for clip-free recording
• 16/24-bit depth available
• 4 track simultaneous recording at up to 192kHz sampling in WAV format
• 2 XLR/TRS phone inputs (48V, +4dBu input compatible)
• F-series preamps
• Color LCD screen
• Compatible with Zoom capsule system 3.0
• 4-in/2-out USB audio interface
• 9 hours of battery life on AA battery (2x) or USB-C power

INPUT AND OUTPUT CHANNELS
Inputs
• Mic capsule: 1
• MIC/LINE (mono): 2
Outputs
• LINE OUT: 1
• Headphone: 1
• Built-in speaker (mono): 1

INPUTS
XY mic: XYH-5s
90º XY stereo format
Pickup pattern: Unidirectional
Sensitivity: –41 dB/Pa at 1 kHz
Maximum sound pressure input: 140 dB SPL
MIC/LINE IN: XYH-5s
Connector: 1 stereo mini jack
Input gain: −∞ – +60 dB
Input impedance: 2 kΩ or more
Plug-in power: 2.5 V
MIC/LINE (mono)
Connectors:
• 2 XLR/TRS combo jacks
• (XLR□2 HOT TRS□TIP HOT□
Input gain: −∞ – +60 dB
Input impedance MIC:
• 3 kΩ or more

• LINE: 3 kΩ or more
Maximum input level:
• MIC: +4 dBu
• LINE: +24 dBu
Phantom power: +48 V
Equivalent input noise: –127 dBu or less (IHF-A) at 150Ω input

OUTPUTS
LINE OUT
Connector: 1 stereo mini jack
Maximum output level: +1 dBu
Output impedance: 110 Ω or less
Headphone
Connector: 1 stereo mini jack
Maximum output level: 20 □W + 20 □W□when 32 Ω load□
Output impedance: 10 Ω or less
Built-in speaker
Type: 20 mm x 30 mm elliptical dynamic speaker
Effective maximum output: 250 mW

RECORDER
Maximum simultaneous recording tracks: 6
Maximum simultaneous playback tracks: 4
Recording formats:
• WAV
• 44.1/48/96/192 kHz,
• 16-bit/24-bit/32-bit float
• mono/stereo
• BWF and iXML formats supported
Recording media:
• microSDHC memory cards
• microSDXC memory cards

DISPLAY
2.00" full-color LCD: 320 x 240

USB
Connector:
• USB Type-C
• Use a USB cable that supports data transfer.
Audio Interface:
• USB 2.0 High Speed
• Input and output channels: 4 in / 2 out (Multi)
• 2 in / 2 out (Stereo)
• Sampling frequencies:
44.1/48/96 kHz (audio interface only)
44.1/48 kHz (audio interface + onboard recording)
• Bit depths: 24-bit, 32-bit float
File transfer: USB 2.0 High Speed

REMOTE
Dedicated wireless adapter: ZOOM BTA-1

POWER
4 AA batteries: Alkaline, lithium or rechargeable NiMH batteries
AC Adapter:
• ZOOM AD-17 (DC 5 V/1 A)
• USB bus power is supported.

ESTIMATED CONTINUOUS OPERATION TIMES USING BATTERIES : 2-track (XYH-5s) recording
Alkaline batteries: About 15 hours

NiMH batteries (1900 mAh): About 13 hours
Lithium batteries: About 21 hours

ESTIMATED CONTINUOUS OPERATION TIMES USING BATTERIES : 4-track (XYH-5s and inputs 1–2) recording
Alkaline batteries: About 6 hours
NiMH batteries (1900 mAh): About 6 hours
Lithium batteries: About 11.5 hours

Power consumption: 5 W maximum
Dimensions: 86.0 mm (W) × 206.0 mm (D) × 54.6 mm (H)
Weight: 410 g (including batteries)

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.