

LD Systems MAUI 11 G2 - Aktivni razglasni sistem

Šifra: 21011
Kategorija proizvoda: Aktivne Zvučne Kutije
Proizvođač: LD Systems



Cena: 129.480,00 rsd

Peak output power: 1,000 W

RMS output power: 500 W

Amp class: Class D

Max. SPL peak: 124 dB

Frequency response: 50 - 20,000 Hz

Beam angle: 120° (hor.) / 20° (vert.)

Protection features: Multiband Limiter, Short circuit, Overheating, Direct current

Colour: Black

Bluetooth® version: Bluetooth® 4.2

Features: Audio Streaming (A2DP), TrueWireless™ Stereo

Number of microphone inputs: 1

Mic-in connector type: XLR combo socket

Number of instrument inputs: 1

Number of line inputs: 2

Line-In connector type: 2 x RCA female (Stereo)

Number of music inputs: 1

Music inputs connector types: 3.5 mm Jack TRS female

Number of speaker outputs: 1

Speaker output connection type: XLR 3-pole male

Mixer: Yes

Mixer channels: 4

Audio processing: 3 band EQ (High, Mid, Low), Presets

AD/DA converter bit depth: 24 Bit

AD/DA converter sampling rate: 48 kHz

Min. Signal-to-noise ratio (SNR): 100 dB

Bass Speaker Size: 6.5 "

Quantity: 3

Magnet: Ferrite

Voice coil: 1.5 "

Midrange Speaker Size: 3 "

Quantity: 8

Voice coil: 1 "

Magnet: Ferrite

Tweeter Driver size: 1 "

Quantity: 2

Magnet: Neodymium

Voice coil: 1 "

Operation voltage: 110 V AC - 120 V AC / 50 - 60 Hz, 220 V AC - 240 V AC / 50 - 60 Hz

Rated power: 600 W

Max. Stand-by power consumption: 0 W

Mains connector: IEC C14 plug male

Housing Design: Bass reflex

Number of handles: 1

Cabinet material: Birch multiplex

Material thickness: 15 mm

Front grille material: Aluminium

Cooling system: Convection cooling

Satellites/columns Design: Closed

Chassis material: Aluminium

Front grille material: Aluminium

Width: 96 mm

Height: 620 mm

Depth: 104 mm

Weight: 5.4 kg

Subwoofer Design: Bass reflex

Number of handles: 1

Material thickness: 15 mm

Surface coating: Painted (textured lacquer)

Front grille material: Aluminium

Width: 285 mm

Depth: 373 mm

Height: 650 mm

Weight: 16.9 kg

Environmental Ambient temperature: 0 - 40 °C

Maximum air humidity (non-condensing): 80 %

Dimensions & weight

Width: 285 mm

Height: 2,030 mm

Depth: 373 mm

Weight: 24.9 kg