

FOCAL TWIN6 BE - Studijski monitor

Šifra: 7478
Kategorija proizvoda: Aktivni Studijski Monitori
Proizvođač: Focal

Cena: 119.880,00 rsd

with them.

FOCAL TWIN6 BE - Studijski monitor

Jedan od najpoznatijih mix inženjera, Leslie Brathwaite, opremio je svoj radni prostor ovim visokokvalitetnim monitorima:

My monitors of choice are my Focal Twin6 Be, which I use together with the Focal Sub6 sub. I love them. I tried the Focals about two years ago, fell in love

A nešto više o njegovim tajnama, možete pročitati na sledećem linku:

Inside Track: Happy

Secrets Of The Mix Engineers: Leslie Brathwaite

focal in studio not found or type unknown

Pored toga, dizajn Twin6 Be dozvoljava visoki SPL (nivo zvučnog pritiska) dok istovremeno omogućava stabilan tonski balans. Jedan od dva 6.5-inčna niskotonca radi u velikom opsegu (srednji opseg – bas) dok drugi reprodukuje od 40 do 150Hz. Ovo stvara bas koji čuva celokupnu signalnu dinamiku, bez bilo kakvog maskirajućeg efekta u srednjem opsegu, zadržavajući na taj način svu njegovu neutralnost i transparentnost. Dodatna kontrola bas registra postiže se finim podešavanjem na kontrolnoj ploči na zadnjoj strani Twin6 Be kako bi se dobila savršena konfiguracija odslikana kao u ogledalu u odnosu na njegov najbliži srodni model.

Twin6 Be može se instalirati horizontalno ili vertikalno kako bi se odgovorilo zahtevima svakog studija.

NAJBOLJE OD FOCAL TEHNOLOGIJE

Twin6 Be zvučnik za monitoringoslanja se na Focal ekskluzivne i inovativne tehnologije. Opremljen je invertiranim kupolastim visokotoncem kojeg je proizveo Beryllium, od vrlo solidnog ali lakog materijala koji obezbeđuje optimalnu reprodukciju bez premca najvišeg kvaliteta, pored 'W' konusa za optimizaciju odziva još iz dizajn faze, zahvaljujući preciznoj kontroli čvrstine, lakoće i prigušenja. Kada je reč o pojačavanju, BASH® tehnologija jedina je koja može da kombinuje AB klasu kvaliteta zvuka sa efikasnošću pojačala D klase i omogućava savršeno podešavanje basa/snage srednjeg opsega.

Registri za harmonizaciju

TRANSPARENTNOST I PRECIZNOST

Reputacija Twin6 Be oslanja se na njegovu preciznu zvučnu sliku, definiciju visokih tonova i njegov neutralni srednji opseg. Odlična artikulacija basa i registara srednjeg opsega, čak i pri visokoj jačini, predstavlja

nespornu referencu. Posebno se preporučuje inženjerima zvuka u potrazi za informacijom i transparentnošću u ovim registrima i onima koji žele da fino podese različite efekte za postizanje savršenog ujednačavanja. Twin6 Be je proglašen za najbolji studio monitor u svim kategorijama od strane časopisa Future Music.

FutureMusic: Platinum Award

Specifications

Frequency response :	40Hz - 40kHz
Maximum SPL :	115dB SPL (peak @ 1m)
Input :	Type/Impedance: symmetrical/10 kOhms Connector: XLR Sensitivity: Adjustable, +4dBu or -10dBV
Bass/mid-range :	2x150W rms, BASH® technology
Treble :	100W rms, AB class
Electric supply :	Local supply power: 230V (2A fuse) 115V (4A fuse) Connection: Removable IEC supply wire
Visualization and control :	Input sensitivity selector Mid-range speaker selector (right/left) Adjustable tweeter and woofer levels by potentiometer Power on/off Voltage selector
warning light :	Power on LED
Woofer :	2x6W4370B Focal "W" composite sandwich cone 6-1/2" (16.5cm) speaker
Tweeter :	TB871, Focal inverted dome tweeter in Beryllium
transducer shielding :	Integral through cancellation magnets or by magnet design
Box :	7-1/2" (19mm) MDF panels

Finish :	Dark red natural veneering side panels, black body
Dimensions (HxWxD) :	9-13/16 x 19-11/16 x 13-3/8 " (250x500x340mm)
Weight :	30.8lb (14kg)