

Neutrik NAC3FCA powerCON

Neutrik NAC3FCA powerCON

Šifra: 8160
Kategorija proizvoda: Konektori
Proizvođač: Neutrik

Cena: 960,00 rsd

Lockable cable connector, power-in, screw terminals, blue
The powerCON is a locking 3 conductor equipment AC connector with contacts for line, neutral and pre-mating ground contact. It replaces appliance couplers wherever a very rugged solution in combination with a locking device is needed in order to guarantee a safe power connection.

Attention: The powerCON is a connector without breaking capacity, i.e. the powerCON should not be connected or disconnected under load or live!

Features & Benefits

Locking 20 A / 250 V ac appliance coupler	3 contacts for line, neutral and premating safety ground Fast and easy twist lock latching system	Power differ EXT
	Ergonomic design Unique Neutrik chuck type strain relief Branded with unique hologram - guarantees genuine and authentic Neutrik product	User UL, c VDE SEV a

Product
Title
NAC3FCA
Gender
female
Electrical
Contact resistance
≤ 3 mΩ (inner)
Dielectric strength
4 kVdc
Insulation resistance
> 0.1 GΩ (after damp heat test IEC 68-2-30)
Number of electronical contacts
2 + PE
Rated current per contact
20 A rms
Rated voltage
250 V ac
Mechanical
Cable O.D.
6 - 15 mm
Lifetime
> 1000 mating cycles
Wiresize
2,5 mm²

Wiresize

14 AWG

Locking device

Quick Lock

Material

Contact plating

4 µm Ag

Contacts

Bronze (CuSn6)

Insert

Polyamide (PA 6 30 % GR)

Locking element

Zinc diecast (ZnAl4Cu1)

Shell

Polyamide (PA 6 30 % GR)

Strain relief

Polyacetal (POM)

Environmental

Temperature range

-30 °C to +80 °C

Product specific

Coding

A-type for power inlet (color coding blue)

Downloads

Assembly Instruction - powerCON 20 A

Image not found or type unknown

[Assembly Instruction - powerCON 20 A](#)

Product Guide 2012, 07 Circular Connectors

Image not found or type unknown

[Product Guide 2012, 07 Circular Connectors](#)

Swiss Electrotechnical Association powerCON 20 A

Image not found or type unknown

[Swiss Electrotechnical Association powerCON 20 A](#)

Swiss Federal Inspectorate for Heavy Current Installations powerCON 20 A

Image not found or type unknown

[Swiss Federal Inspectorate for Heavy Current Installations powerCON 20 A](#)

VDE Certificate powerCON 20 A

Image not found or type unknown

[VDE Certificate powerCON 20 A](#)

Drawing NAC3FCA

Image not found or type unknown

[Drawing NAC3FCA](#)

Drawing NAC3FCA

Image not found or type unknown

[Drawing NAC3FCA](#)

Links

[UL Certificate \(ECBT2.E135070\)](#)

