

logo not found or type unknown

Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

Neutrik NL4MMX

Šifra: 2320
Kategorija proizvoda: Konektori
Proizvođač: Neutrik

Cena: 900,00 rsd

Neutrik NL4MMX not found or type unknown

Neutrik // NL4MMX -Speakon Cable To Cable Adapter 4-Pole

4 pole lockable coupler, links two NL2/4F*s together for cable extension. Can be permanently attached to NL2/4F*.

image not found or type unknown




image not found or type unknown



Product

Gender	male
--------	------

Electrical

Contact resistance	$\leq 3 \text{ m}\Omega$ (after lifetime)
--------------------	---

Dielectric strength	4 kVdc (peak)
---------------------	---------------

Insulation resistance	$> 1 \text{ G}\Omega$ (after dampheat)
-----------------------	--

Rated current per contact	15 A rms continuous
---------------------------	---------------------

Rated current per contact	30 A audiosignal, duty cycle 50 %
---------------------------	-----------------------------------

Rated voltage	250 V (Insulation)
---------------	--------------------

Attention	speakON is NOT to be used as an AC mains connector!
-----------	---

Mechanical

Lifetime	> 5000 mating cycles
----------	------------------------

Locking device	Quick Lock
----------------	------------

Material

Contact plating	4 μm Ag
-----------------	--------------------

Contacts	Bronze (CuSn6)
----------	----------------

Insert	Polyamide (PA 6 30 % GR)
--------	--------------------------

Shell	Polyamide (PA 6 30 % GR)
-------	--------------------------

Environmental

Flammability	UL 94 HB
--------------	----------

Solderability	Complies with IEC 68-2-20
---------------	---------------------------

Temperature range	-30 °C to +80 °C
-------------------	------------------

