

logo not found or type unknown

Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

Neutrik NL4MP not found or type unknown

Neutrik NL4MP

Šifra: 1263
Kategorija proizvoda: Konektori
Proizvođač: Neutrik

Cena: **409,00** rsd

Neutrik // NL4MP - Speakon Chassis Connectors

4 pole chassis connector, black D-size flange, countersunk thru holes, 3/16" flat tabs

The state-of-the-art chassis connector for loudspeaker / amplifier applications. They feature a unique locking system, robust plastic housing and high current silver plated contacts.

Features & Benefits

Standard current rating 30 Amp	Glass reinforced materials make it extremely robust and dependable	Precise keyway for secure mating
	Accurate twist lock latching system	Metal insert in locking area
	Airtight design - optimized for speaker applications	

Image not found or type unknown



Product

Connector Type

Gender

Electrical

Contact resistance

Dielectric strength

Insulation resistance

Rated current per contact

Rated current per contact

Rated voltage

Attention

Mechanical

Lifetime

Wiring

Locking device

Mounting direction

Chassis shape

Layout

Material

Contact plating

Contacts

Shell

Environmental

Approvals

Flammability

Solderability

Temperature range

Speakon

male

 $\leq 3 \text{ m}\Omega$ (after lifetime)

4 kVdc (peak)

 $> 1 \text{ G}\Omega$ (after dampheat)

30 A rms continuous

40 A audiosignal, duty cycle 50 %

250 V (Insulation)

speakON is NOT to be used as an AC mains connector!

 > 5000 mating cycles

flat tabs for 3/16" (FASTON® 4.8 x 0.5 mm) or soldering

Quick Lock

front & rear

D

standard hole position, thru holes

4 μm Ag

Bronze (CuSn6)

Polyamide (PA 6 30 % GR) black

UL,CSA

UL 94 HB

Complies with IEC 68-2-20

 $-30 \text{ }^{\circ}\text{C}$ to $+80 \text{ }^{\circ}\text{C}$

