

logo not found or type unknown

Firma: Player Plus doo  
Adresa: Svetogorska 9  
Telefon: +381 11 3347 442  
Fax: +381 11 3347 615  
PIB: 106966344  
E-mail: porudzbine@player.rs

## PR LIGHTING Xled 250 spot - Roto glava B-Stock

---

Šifra: 08987  
Kategorija proizvoda: Roto Glave  
Proizvođač: PR LIGHTING

**Cena: 69.600,00 rsd**

PR LIGHTING Xled 250 spot - Roto glava B-Stock

Image not found or type unknown




Image not found or type unknown



---

---

---

## **XLED 250 SPOT**

### **PR-8111**

The newest XLED 250 Spot is born at the right time after the outstanding XLED 336 wash moving head. Besides inheriting most of the advantages of XLED 336, it has a fixed gobo wheel with 11 gobos which is for meeting the need of a LED light source with the spot function. The unit is designed for bar, club and so on.

### **Product Video**

#### **Standard Accessories:**

G clamp, 1 pc            XLR connectors, 1 set

Safety cord, 1 pc

#### **Optional Accessories:**

Ω clamps, 1 pcs

#### **Power Supply:**

90~264VAC 50/60HZ

#### **Power Consumption:**

120W@220V

#### **Light Source:**

Luminus 50W CBT-90-W LED

#### **Optics System:**

Lens angle: 20°

#### **Color System:**

Color temperature: 6500K

Color wheel: 8 Color + 1 white

#### **Golos System:**

1 Fixed Gobo wheel: 11 Gobo + 1 White

#### **Effect:**

Dimmer: 0-100% linearly adjustable

Strobe: Electronic strobe, 0.3~20 F.P.S

#### **Control and Programming:**

Control: DMX512, 5 pin interfaces, Master/slave mode,

Stand-alone mode, Built-in mode

Channels: ShortMode: 7, Standard Mode: 11

#### **Head Movement :**

Pan 540° , Tilt 190° , Pan Tilt Swap and Invert Function □

Auto-position correction & Magnetic sensor positioning.

#### **Physical Features:**

Housing: High temperature engineering-plastic, IP20

Weight: 4.5Kg

Length: 224.44mm

Width: 224.56mm

Height: 337.27mm (head in vertical

direction)

#### **Other Functions:**

Adjustable Pan & Tilt speed

Fixture usage time display

Software version display

#### **Package Dimensions:**

Standard: 395x285x285(mm)/0.665Kg (Carton)

#### **Size:**

Image not found or type unknown

