© Goe not found or type unknown

Firma: Player Plus doo Adresa: Svetogorska 9 Telefon: +381 11 3347 442 Fax: +381 11 3347 615

PIB: 106966344

E-mail: porudzbine@player.rs

QEDe Rerformange-Audiov40 0.6

### QED Performance Audio 40 0.6

Šifra: 10851

Kategorija prozivoda: Hi-Fi Analogni kablovi

Proizvođač: QED

Cena: 5.400,00 rsd

#### **FEATURES AND BENEFITS**

# FLOATING INTERNAL FERRITE JACKET

A special floating Zn/Mn Ferrite jacket is used within the Audio 40 cordage to absorb very high frequency noise components outside of the audible band that have an adverse effect on the micro-timing of the audio signal. With cables, our goal is to replicate as closely as possible the input signal at the cable output. Timing errors mean frequencies have been disrupted and the signal sent by your source equipment has not been accurately replicated. When measured at very high frequencies, Audio 40 cables do exhibit cleaner signal transmission than ordinary audio interconnects.

#### ANAMATE<sup>TM</sup> RCA PLUGS

The QED Anamate<sup>TM</sup> plug is a variation of the innovative QED Analoc<sup>TM</sup> RCA plug found in Reference and Signature Audio 40. A hollow oxygen free copper central pin is used to improve high frequency detail in the same way as our X-Tube<sup>TM</sup> speaker cables. To reduce swirling 'eddy currents' (that would otherwise oppose signal flow) a unique low mass plug design using two small, high purity copper ground leaves is used. Like putting wooden wheels on a Ferrari, conventional RCA phono plugs have the potential to undo all of the hard work carried out by our carefully designed cordage. With Anamate<sup>TM</sup> and Analoc<sup>TM</sup> RCA plugs, the fidelity of the audio signal is maintained form start to finish.

## COMPLEMENTARY CONDUCTOR TMTECHNOLOGY

Improves timing and detail, retaining the rhythm of the original piece. Unlike conventional analogue interconnects, Performance Audio 40 utilises two 99.999% Oxygen Free Copper conductors of different diameters to carry the same audio signal. This has the effect of providing an alternative path for high frequency audio components which might otherwise become time smeared in a single audio pathway.

#### **JUST LISTEN**

Performance Audio 40 represents phenomenal value for money. Our extensive listening tests comparing it against competitor products at much higher price points have astonished us! We urge you to compare it not only to your favourite cable but also alternative brands and models at any price!

#### **SPECIFICATIONS**

99.999% Oxygen Free Copper (OFC) conductors with foamed PE dielectricfor sonic purity

QED Complementary Conductors<sup>TM</sup>

Asymmetrical twisted pair \$\forall \text{fert \ \ \forall \ \foral

QED Lifetime Guarantee

#### CONNECT YOUR:

CD player DAC Turntable DVD player Tuner Audio components

#### TO YOUR:

AV Amplifier Receiver

#### **OVERALL PERFORMANCE**

Complementary Conductor Technology Technology

Ferrite Insulation

#### COMPLEMENTARY CONDUCTOR TECHNOLOGY

Complementary conductor geometry utilises two conductors of different diameters to carry the same audio signal. This has the effect of providing an alternative path for high frequency audio components which might otherwise become time smeared in a single audio pathway.

#### ANAMATE™ PLUG TECHNOLOGY

Like putting wooden wheels on a Ferrari, conventional RCA phono plugs have the potential to undo all of the hard work carried out by our carefully designed cordage. With Anamate and Analoc RCA plugs, the fidelity of the audio signal is maintained form start to finish.

## FERRITE INSULATION TECHNOLOGY

A special floating Zn/Mn Ferrite jacket is used within the Audio 40 cordage to absorb very high frequency noise components outside of the audible band that have an adverse effect on the micro-timing of the audio signal.