

logo not found or type unknown

Firma: Player Plus doo
Adresa: Svetogorska 9
Telefon: +381 11 3347 442
Fax: +381 11 3347 615
PIB: 106966344
E-mail: porudzbine@player.rs

QED Performance Audio 40 0.6

QED Performance Audio 40 0.6

Šifra: 10851
Kategorija proizvoda: Hi-Fi Analogni kablovi
Proizvođač: QED

FEATURES AND BENEFITS

Cena: 5.400,00 rsd

FLOATING INTERNAL FERRITE JACKET

A special floating Zn/Mn Ferrite jacket is used within the Audio 40 cordage to absorb very high frequency noise components outside of the audible band that have an adverse effect on the micro-timing of the audio signal. With cables, our goal is to replicate as closely as possible the input signal at the cable output. Timing errors mean frequencies have been disrupted and the signal sent by your source equipment has not been accurately replicated. When measured at very high frequencies, Audio 40 cables do exhibit cleaner signal transmission than ordinary audio interconnects.

ANAMATE™ RCA PLUGS

The QED Anamate™ plug is a variation of the innovative QED Analoc™ RCA plug found in Reference and Signature Audio 40. A hollow oxygen free copper central pin is used to improve high frequency detail in the same way as our X-Tube™ speaker cables. To reduce swirling 'eddy currents' (that would otherwise oppose signal flow) a unique low mass plug design using two small, high purity copper ground leaves is used. Like putting wooden wheels on a Ferrari, conventional RCA phono plugs have the potential to undo all of the hard work carried out by our carefully designed cordage. With Anamate™ and Analoc™ RCA plugs, the fidelity of the audio signal is maintained from start to finish.

COMPLEMENTARY CONDUCTOR™ TECHNOLOGY

Improves timing and detail, retaining the rhythm of the original piece. Unlike conventional analogue interconnects, Performance Audio 40 utilises two 99.999% Oxygen Free Copper conductors of different diameters to carry the same audio signal. This has the effect of providing an alternative path for high frequency audio components which might otherwise become time smeared in a single audio pathway.

JUST LISTEN

Performance Audio 40 represents phenomenal value for money. Our extensive listening tests comparing it against competitor products at much higher price points have astonished us! We urge you to compare it not only to your favourite cable but also alternative brands and models at any price!

SPECIFICATIONS

99.999% Oxygen Free Copper (OFC) conductors with foamed PE dielectric for sonic purity

QED Complementary Conductors™

Asymmetrical twisted pair geometry features independent dual layer screening that protects delicate signals against interference from external high voltages and currents.

Twin leaf gold plated QED Anamate™ RCA plugs featuring high purity copper contacts, hollow centre pin and low eddy current design

QED Lifetime Guarantee

WHAT THIS CABLE IS USED FOR

CONNECT YOUR: CD player DAC Turntable DVD player Tuner Audio components	TO YOUR: AV Amplifier Receiver
--	---

OVERALL PERFORMANCE

Complementary Conductor Technology COMPLEMENTARY CONDUCTOR TECHNOLOGY Complementary conductor geometry utilises two conductors of different diameters to carry the same audio signal. This has the effect of providing an alternative path for high frequency audio components which might otherwise become time smeared in a single audio pathway.	Anamate™ Plug Technology ANAMATE™ PLUG TECHNOLOGY Like putting wooden wheels on a Ferrari, conventional RCA phono plugs have the potential to undo all of the hard work carried out by our carefully designed cordage. With Anamate and Analoc RCA plugs, the fidelity of the audio signal is maintained form start to finish.	Ferrite Insulation Technology FERRITE INSULATION TECHNOLOGY A special floating Zn/Mn Ferrite jacket is used within the Audio 40 cordage to absorb very high frequency noise components outside of the audible band that have an adverse effect on the micro-timing of the audio signal.
--	---	--